

Revision number: 3 Revision date: 11/10/2015

#### **IDENTIFICATION** 1.

Product name: Product code:

7-Bromoquinoline B4155

### Product use: Restrictions on use:

### Company:

TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

### 2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:

Skin Corrosion/Irritation [Category 2] Eye Damage/Irritation [Category 2A]

Signal word:

Warning!

Hazard Statement(s):

Causes serious eye irritation Causes skin irritation

Pictogram(s) or Symbol(s):



**Precautionary Statement(s):** [Prevention] [Response]

> [Storage] [Disposal]

Substance/Mixture:

**Chemical Formula:** 

Components:

CAS Number: Molecular Weight:

Percent:

Wash hands and face thoroughly after handling. Wear protective gloves. Wear eye and face protection. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. None

# SAFETY DATA SHEET

**TCI AMERICA** 

For laboratory research purposes.

Not for drug or household use.

Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) **Responsible department: TCI** America Environmental Health Safety and Security +1-503-286-7624

Emergency telephone number:

3. COMPOSITION/INFORMATION ON INGREDIENTS Substance 7-Bromoquinoline >98.0%(GC)(T)

4965-36-0

208.06

C<sub>9</sub>H<sub>6</sub>BrN

None

## 4. FIRST-AID MEASURES

sin to breathing. Administer oxygen if breathing is difficult. Keep victure warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. If skin intration occurs get medical advice/attention. Remove and wash contaminated clothing bef use. In case of contact with substance, immediately flush skin with running water for at least 20 m Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. If gets in tration occurs may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Do not induce voning with out medical advice. If swallowed, seek medical advice in transation with a sin and a protect themselves. Do not induce voning with out medical advice. If swallowed, seek medical advice in transation with a sin and a protect themselves. Do not induce voning with out medical advice. If swallowed, seek medical advice in transation. The container or label. Do not use mouth-to-mouth method if victim insected the substance, give a respiration with the aid of a pocket mask colupped with a on-eway valve or other proper respirate medical device. Loosen tight clothing such as a collar, tie, beit or wallstand. If a person vonits pi in the recovery positions to protect themselves. Symptomsieffects: Acute: No data available Immediate medical attention: If breathing has stopped, perform antificial respiration. Use first aid treatment according to the natterial(s) involved and take precautions to protect themselves. Special precautions for fire-fighters: These products include: Carbon oxides Nitrogen oxides Halogenated compounds (there and you can be available These products include: Carbon oxides Nitrogen oxides Halogenated compounds (there advice) for the support	4. FIRST-AID MEASURES	
take precautions to protect themselves.     Skin contact:   If skin irritation occurs get medical advice/attention. Remove and wash contaminated iobing befuses in the set of the s	Inhalation:	
Eye contact:   IMMEDIATELY fluish eyes with running water for at least 15 minutes, keeping eyelids open. Container and a prince of the working to frash air. Chedre remove any contact lenses. Keep victim varm and quiet. Treat symptomatically and supportively. exposure to subStance may be delayed. Ensure that medical personnel are aware of the material involved and take precautions to protect themselves.     Ingestion:   Do not induce ovortiling with out medical advice. It wallowed, seek medical advice, immediately and the container or label. Do not use mouth-to-mouth method if victim ingested the substance; give a respiration with the aid of a pocket mask equipped with a one-way valve or other proper respirator medical device. Loosen tight clothing such as a collar, (iie, bed or other proper respirator medical advice). The reaver provide with a new and the material of the material of a pocket mask equipped with a one-way valve or other proper respirator medical advice. If we material (is) involved and take precautions to protect themselves.     Symptoms/effects:   Acute:   No data available     Acute:   No data available   No data available     Immediate medical attention:   If breathing has stopped, perform artificial respiration. Use first aid treatment according to the natterial(s) involved and take precautions to themselves.     Specific hazards arising from the chemical Advice. The advice is include: Carbon oxides Nitrogen oxides Halogenated compounds Closed containers may explode from heat of a fire.     Specific hazards arising from the chemical Advice is proceed to the material. Containers may explode from heat of a fire.     Specific hazards arising from the chemical protective	Skin contact:	
Ingestion:   Do not induce voriting with out medical advice. If swallowed, seek medical advice immediately ar the container or tabel. Do not use mouthmouth method if vicin ingested the substance: give a respiration with the aid of a pocket mask equipped with a one-way valve or other proper respirator medical device. Loosen tight totoling such as a collar, the bet or waistand. If a person vomits pit in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep vice and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.     Symptoms/effects:   No data available     Acute:   No data available     Dinyor. Ensure that medical personnel are aware of the material(s) involved and take precautions to the substance give a valve or other proceautions to themselves.     S. FIRE-FIGHTING MEASURES     Suitable extinguishing media:   Dry chemical, CO <sub>2</sub> , sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations.     Specific hazards arising from the chemical Hazardous combustion products:   These products include: Carbon oxides Nitrogen oxides Halogenated compounds Other specific hazards:     Closed containers may explode from heat of a fire.   Special precautions for fire-fightres:     Wear spray or log; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode heated, hove containers from fire agritures:     Movie constainers from fire-dignters:   Wear oportic	Eye contact:	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s)
Acute: Delayed:   No data available     Immediate medical attention:   If breathing has stopped, perform artificial respiration. Use first aid treatment according to the naturing involved and take precautions to themselves.     5. FIRE-FIGHTING MEASURES   If breathing has stopped, perform artificial respiration. Use first aid treatment according to the naturing involved and take precautions to themselves.     5. FIRE-FIGHTING MEASURES   Dry chemical, CO2, sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations.     Specific hazards arising from the chemical Hazardous combustion products:   These products include: Carbon oxides Nitrogen oxides Halogenated compounds Cleve containers may explode from heat of a fire.     Special precautions for fire-fighters:   Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode heated. Move containers from fire area if you can do it without risk.     Special precautions for fire-fighters:   Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire solutions. Wear chemical protective clothing which is specifically recommended by the manufacturer. It m provide little or no thermal protection.     6. ACCIDENTAL RELEASE MEASURES   Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do n damaged containers or spilled material unless wearing appropriate protective edupting from the hazard area and dayn entry to unnecessary and unprotecled personnel.<	Ingestion:	Do not induce vomiting with out medical advice. If swallowed, seek medical advice immediately and show the container or label. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the
Delayed:   No data available     Immediate medical attention:   If breathing has stopped, perform artificial respiration. Use first aid treatment according to the naturinjury. Ensure that medical personnel are aware of the material(s) involved and take precautions to themselves.     5. FIRE-FIGHTING MEASURES     Suitable extinguishing media:   Dry chemical, CO2, sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations.     Specific hazards arising from the chemical Hazardous combustion products:   These products include: Carbon oxides Nitrogen oxides Halogenated compounds Closed containers may explode from heat of a fire.     Special precautions for fire-fighters:   Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode heated. Move containers from fire area if you can do it without risk.     Special protective equipment for fire-fighters:   Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection.     6. ACCIDENTAL RELEASE MEASURES   Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do n damaged containers or spilled material unless wearing appropriate protective clothing (Section 8), unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adquate vei lookate the hazard area and deny proved respirator or equivalent. Wear protective field the hazard area and deny proved respirator or equivalent. Wear eve protection. By area and deny proved respirator or equivalent. Wea	Symptoms/effects:	
injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to themselves.     5. FIRE-FIGHTING MEASURES     Suitable extinguishing media:   Dry chemical, CO2, sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations.     Specific hazards arising from the chemical Hazardous combustion products:   These products include: Carbon oxides Nitrogen oxides Halogenated compounds Closed containers may explode from heat of a fire.     Special precautions for fire-fighters:   Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explod heated. Move containers from fire area if you can do it without risk.     Special precautions for fire-fighters:   Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explod heated. Move containers from fire area if you can do it without risk.     Special protective equipment for fire-fighters:   Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection.     6. ACCIDENTAL RELEASE MEASURES   Personal protective equipment:     Personal protective equipment:   Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do n damaged containers or spilled material unless wearing appropriate protective clothing (Section 8), unnecessary and unprotected personnel.     Personal protective equipment:   Wear		
Suitable extinguishing media:   Dry chemical, CO2, sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations.     Specific hazards arising from the chemical Hazardous combustion products:   These products include: Carbon oxides Nitrogen oxides Halogenated compounds Closed containers may explode from heat of a fire.     Special precautions for fire-fighters:   Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode heated. Move containers from fire area if you can do it without risk.     Special protective equipment for fire-fighters:   Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire series of the manufacturer. It m provide little or no thermal protection. <b>6. ACCIDENTAL RELEASE MEASURES</b> Personal precautions:   Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do n damaged containers or spilled material unless wearing appropriate protective clothing (Section 8), unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ver lsolate the hazard area and deng entry to unnecessary and unprotected personnel.     Personal protective equipment:   Wear eye protection (splat and ago entry to unceessary and unprotected personnel.     Personal protective equipment:   Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilat area, and excercise caution. Do not touch damaged containers or spilled material un	Immediate medical attention:	If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Specific hazards arising from the chemical     Hazardous combustion products:   These products include: Carbon oxides Nitrogen oxides Halogenated compounds     Other specific hazards:   Closed containers may explode from heat of a fire.     Special precautions for fire-fighters:   Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode heated. Move containers from fire area if you can do it without risk.     Special protective equipment for fire-fighters:   Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire so ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It m provide little or no thermal protection. <b>6. ACCIDENTAL RELEASE MEASURES</b> Personal precautions:   Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do n damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate versional protective equipment:     Personal protective equipment:   Wear eye protection (splash goggles) and face protection (fluengt face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective glov (nitrile).     Personal procedures:   Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilat area, and excercise caution. Do not	5. FIRE-FIGHTING MEASURES	
Hazardous combustion products:   These products include: Carbon oxides Nitrogen oxides Halogenated compounds Closed containers may explode from heat of a fire.     Special precautions for fire-fighters:   Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode heated. Move containers from fire area if you can do it without risk.     Special protective equipment for fire-fighters:   Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire s ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It m provide little or no thermal protection.     6. ACCIDENTAL RELEASE MEASURES     Personal precautions:   Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do n damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate vei lsolate the hazard area and deny entry to unnecessary and unprotected personnel. Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective glov (nitrile).     Emergency procedures:   Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilat area, and excercise caution. Do not touch damaged containers or spilled material unless wearing	Suitable extinguishing media:	Dry chemical, $CO_2$ , sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations.
Hazardous combustion products: Other specific hazards:   These products include: Carbon oxides Nitrogen oxides Halogenated compounds Closed containers may explode from heat of a fire.     Special precautions for fire-fighters: Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explod heated. Move containers from fire area if you can do it without risk. Special protective equipment for fire-fighters: Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire s ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It m provide little or no thermal protection.     6. ACCIDENTAL RELEASE MEASURES     Personal precautions:   Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do n damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate vei lsolate the hazard area and deny entry to unnecessary and unprotected personnel. Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective glov (nitrile).     Emergency procedures:   Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilat area, and excercise caution. Do not touch damaged containers or spilled material unless wearing	Specific hazards arising from the chemi	cal
Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explod heated. Move containers from fire area if you can do it without risk. Special protective equipment for fire-fighters: Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire so ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It m provide little or no thermal protection. <b>6. ACCIDENTAL RELEASE MEASURES</b> Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do n damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ver lsolate the hazard area and deny entry to unnecessary and unprotected personnel. Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective glov (nitrile). Emergency procedures: Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilat area, and excercise caution. Do not touch damaged containers or spilled material unless wearing	Hazardous combustion products:	These products include: Carbon oxides Nitrogen oxides Halogenated compounds
Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire s     ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It m     provide little or no thermal protection.     6. ACCIDENTAL RELEASE MEASURES     Personal precautions:     Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do n     damaged containers or spilled material unless wearing appropriate protective clothing (Section 8).     unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate vertisolate the hazard area and deny entry to unnecessary and unprotected personnel.     Wear eye protection. (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective glov (nitrile).     Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate area, and excercise caution. Do not touch damaged containers or spilled material unless wearing	Use water spray or fog; do not use straight heated. Move containers from fire area if ye	ou can do it without risk.
Personal precautions:   Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do n damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ver Isolate the hazard area and deny entry to unnecessary and unprotected personnel.     Personal protective equipment:   Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective glow (nitrile).     Emergency procedures:   Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate area, and excercise caution. Do not touch damaged containers or spilled material unless wearing	ONLY; it may not be effective in spill situati	thing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ions. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may
Personal protective equipment:damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ver Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective glov (nitrile).Emergency procedures:Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilat area, and excercise caution. Do not touch damaged containers or spilled material unless wearing	6. ACCIDENTAL RELEASE MEASU	RES
Personal protective equipment:Isolate the hazard area and deny entry to unnecessary and unprotected personnel.Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective glov (nitrile).Emergency procedures:Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilat area, and excercise caution. Do not touch damaged containers or spilled material unless wearing	Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn uppecessary personnel to move away. Stop leak if you can do it without tick. Ensure adequate ventilation
<b>Emergency procedures:</b> Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilat area, and excercise caution. Do not touch damaged containers or spilled material unless wearing	Personal protective equipment:	Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves
confined areas; dike if needed.	Emergency procedures:	Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or

### Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Environmental precautions: Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined

areas; dike if needed.

Precautions for safe handling:	Avoid inhalation of vapor or mist. Avoid contact with skin and eyes. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keel away from sources of ignition.
Conditions for safe storage:	Keep only in the original container in a cool well-ventilated place. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon). Store in refrigerator.
Storage incompatibilities:	Store away from oxidizing agents

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure limits:** No data available

### Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

#### Personal protective equipment

**Respiratory protection:** Hand protection: Eye protection: Skin and body protection:

Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Nitrile gloves. Safety glasses. Lab coat.

Upper:

No data available

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Form: Color: Odor: Odor threshold:	Solid Crystal - Lump Very pale yellow - Pale yello No data available No data available	w	
Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic Viscosity:	35°C (95°F) No data available No data available No data available No data available	pH: Vapor pressure: Vapor density: Dynamic Viscosity:	No data available No data available No data available No data available
Partition coefficient: n-octanol/water (log Pow)	No data available	Evaporation rate: (Butyl Acetate = 1)	No data available
Flash point: Flammability (solid, gas):	No data available No data available	Autoignition temperature: Flammability or explosive limits: Lower: No data avai	No data available lable

Solubility(ies):

Soluble: Toluene

### **10. STABILITY AND REACTIVITY**

**Reactivity: Chemical Stability:** Possibility of Hazardous Reactions: Conditions to avoid: Incompatible materials: Hazardous Decomposition Products: Not Available. Air sensitive. No hazardous reactivity has been reported. Air sensitive. Exposure to air. Oxidizing agents No data available

11. TOXICOLOGICAL INFORMATION

7-Bromoquinoline	TCI AM	ERICA		Page 4 of 5
Acute Toxicity: No data available				
Skin corrosion/irritation: No data available				
Serious eye damage/irritation: No data available				
<b>Respiratory or skin sensitization:</b> No data available				
Germ cell mutagenicity: No data available				
Carcinogenicity:				
No data available				
IARC: No data available	NTP:	No data available	OSHA: No data available	
Reproductive toxicity: No data available				
Routes of Exposure: Symptoms related to exposure: Skin contact may result in inflammation; cha or dry skin. Eye contact may result in redne Potential Health Effects:	aracterized by itching ss or pain.	ntact, Ingestion, Skin contact. , scaling, reddening, or occas	onally blistering. Skin contact may result in	redness, pain
Skin and eye contact may result in irritation. Target organ(s):	No data available			
12. ECOLOGICAL INFORMATION				
Ecotoxicity Fish: Crustacea:	No data available No data available			
Algae:	No data available			
Persistence and degradability: Bioaccumulative potential (BCF): Mobillity in soil: Partition coefficient: n-octanol/water (log Pow)	No data available No data available No data available No data available			
Soil adsorption (Koc): Henry's Law: constant (PaM³/mol)	No data available No data available			
				]
13. DISPOSAL CONSIDERATIONS Disposal of product: Disposal of container:	rules and regulatio chemical incinerato assistance but doe regulatory complia Waste are listed in water ways, or the	ns. You may be able to disso or equipped with an afterburn as not replace these laws, nor nce according to the law. US 40 CFR Parts 261. The prod	r's responsibility to comply with Federal, Sta ve or mix material with a combustible solve er and scrubber system. This section is inte does compliance in accordance with this se EPA guidelines for Identification and Listing uct should not be allowed to enter the enviro apty containers.	nt and burn in a nded to provide ection ensure of Hazardous
Other considerations:			then disposing of the substance.	
14. TRANSPORT INFORMATION				
DOT (US)	Non-hazardous for	transportation.		
ΙΑΤΑ	Non-hazardous for	transportation.		
IMDG	Non-hazardous for	transportation.		

## 15. REGULATORY INFORMATION

### Toxic Substance Control Act (TSCA 8b.):

This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 CFR 720.36 (C) for those products not on the inventory list:

(i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in 40 CFR 720.0 et sec.

(ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be supplied on a SDS sheet.

### **US Federal Regulations**

**CERCLA Hazardous substance and Reportable Quantity:** 

SARA 313:	Not Listed
SARA 302:	Not Listed

### **State Regulations**

State Right-to-Know

Massachusetts	Not Listed
New Jersey	Not Listed
Pennsylvania	Not Listed
California Proposition 65:	Not Listed

#### **Other Information**

#### **NFPA Rating:**

Flammability:	)		
Instability:	)		

### International Inventories

WHMIS hazard class:

No data available.

### 16. OTHER INFORMATION

### Revision date: 11/10/2015

Revision number: 3

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective gogles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.

HMIS Classification: Health:

Flammability:

Physical:

0

0

0