

Revision number: 3 Revision date: 02/02/2016

1. IDENTIFICATION

Product name: Product code: Allyl lodide (stabilized with Copper chip) 10070

For laboratory research purposes.

Not for drug or household use.

TCI AMERICA

SAFETY DATA SHEET

Product use: Restrictions on use:

Company:

TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:

Signal word:

Hazard Statement(s):

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention]

[Response]

[Storage] [Disposal] Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Do not breathe dusts or mists. Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, eye protection and face protection. Wear eye protection. Wear face protection (full length face shield). Keep away from heat, sparks, open flames or other hot surfaces. - No smoking. Keep container tightly closed. Ground or bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting, and equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves, eye protection and face protection.

If swallowed: Immediately call a poison center or doctor. Rinse mouth. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish. Store locked up. Store in a well-ventilated place. Keep cool.

Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

Emergency telephone number:

Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) **Responsible department:** TCI America Environmental Health Safety and Security +1- 503-286-7624

+1- 503-286-7624

ICATION

Acute Toxicity - Oral [Category 2]
Eye Damage/Irritation [Category 1]
Flammable Liquids [Category 2]
Skin Corrosion/Irritation [Category 1B]

Danger!

Fatal if swallowed
Causes serious eye damage
Causes severe skin burns and eye damage
Highly flammable liquid and vapor

2. HAZARD(S) IDENTIFICATION

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components: Percent: CAS Number: Molecular Weight: Chemical Formula: Synonyms: Stabilizers:	Substance Allyl Iodide (stabilized with Copper chip) >98.0%(GC) 556-56-9 167.98 C ₃ H ₅ I 3-Iodo-1-propene (stabilized with Copper chip) , 3-Iodopropylene (stabilized with Copper chip) Copper Chip
4. FIRST-AID MEASURES	
Inhalation:	Immediately call a poison center or doctor. Effects of exposure (inhalation) to substance may be delayed. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Skin contact:	For severe burns, immediate medical attention is required. Immediately call a poison center or doctor. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye contact:	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Eye contact with vapors or substance may cause severe injury, burns, or death. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	Fatal if swallowed. Do not induce vomiting with out medical advice. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	Pain. Redness. No data available
Immediate medical attention:	WARNING: It might be dangerous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is toxic. WARNING: It might be hazardous to the person providing aid to give mouth- to-mouth respiration, because the inhaled material is corrosive. For severe burns, immediate medical attention is required. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media:	Dry chemical, CO ₂ or water spray. Consult with local fire authorities before attempting large scale fire fighting operations.
Our stiffs have also satisfy a factor that sha	

Specific hazards arising from the chemical

Hazardous combustion products: These products include: Carbon oxides Halogenated compounds Other specific hazards: Closed containers may explode from heat of a fire.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. Do not use straight streams. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Move containers from fire area if you can do it without risk. Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Use spark- proof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Isolate area until gas has dispersed. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material.

Environmental precautions:

Keep away from living quarters. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE	
Precautions for safe handling:	Do NOT breath gas, fumes, vapor, or spray. Manipulate under an adequate fume hood. Do not ingest. Avoid contact with skin and eyes. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.
Conditions for safe storage:	Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition. Store and use away from heat, sparks, open flame, or any other ignition source. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store in refrigerator.
Storage incompatibilities:	Bases, Combustible substances, Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

No data available

Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection:	Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Wear protective gloves.
Eye protection:	Splash goggles.
Skin and body protection:	Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Liquid
Form:	Clear
Color:	Pale yellow - Brown
Odor:	Pungent
Odor threshold:	No data available

Allyl lodide (stabilized with Cop	per chip) TCI AMER	RICA	Page 4		
9. PHYSICAL AND CHEMICA					
lelting point/freezing point:	-99°C (-146°F)	pH:	No data available		
oiling point/range:	102°C (216°F)	Vapor pressure:	No data available		
ecomposition temperature:	No data available	Vapor density:	5.8 Na data ang labla		
elative density: inematic Viscosity:	1.85 No data available	Dynamic Viscosity:	No data available		
-					
Partition coefficient: -octanol/water (log Pow)	No data available	Evaporation rate: (Butyl Acetate = 1)	No data available		
Flash point:	16°C (61°F)	Autoignition temperature:	No data available		
Flammability (solid, gas):	No data available	Flammability or explosive li Lower: No dat	mits: a available		
			a available		
Solubility(ies):					
Water: Insoluble					
MISCIDIE: Ether, Alcon	ols, Chloroform, Many organic sc	olvents			
10. STABILITY AND REACTI	VITY				
Reactivity:	Not Available.	ure consitive. Light consitive			
Chemical Stability: Possibility of Hazardous Reactio	Heat sensitive. Moist	Heat sensitive. Moisture sensitive. Light sensitive. In use, may form flammable/explosive vapor-air mixture.			
Conditions to avoid:		posure to moisture. Heat sensitive. Mois	sture sensitive		
ncompatible materials:	Strong oxidizing age	Strong oxidizing agents			
Hazardous Decomposition Prod					
11. TOXICOLOGICAL INFOR	RMATION				
RTECS Number: UD0450000					
Acute Toxicity:					
orl-rat LD50:10 mg/kg					
Skin corrosion/irritation: No data available					
Serious eye damage/irritation: No data available					
Respiratory or skin sensitizatior No data available	1:				
Germ cell mutagenicity: No data available					
Carcinogenicity:					
lo data available					

No data available

IARC: No data available

No data available

OSHA: No data available

Reproductive toxicity: No data available

No data avallable

Inhalation, Eye contact, Ingestion, Skin contact.

Routes of Exposure: Symptoms related to exposure:

Overexposure may result in serious illness or death. Skin contact may produce burrns. Skin contact may result in inflammation; characterized by itching, scaling, reddening, or occasionally blistering. Eye contact can result in corneal damage or blindness. Potential Health Effects:

No specific information available; skin and eye contact may result in irritation. May be harmful if inhaled or ingested. **Target organ(s):** No data available

NTP:

12. ECOLOGICAL INFORMATION

Ecotoxicity

TCI AMERICA

12. ECOLOGICA	L INFORMATION					
Fish:		No data available)			
Crustacea:		No data available)			
Algae:		No data available)			
.		Nie dete eus Vehie				
Persistence and degradability:		No data available				
Bioaccumulative p	ootential (BCF):	No data available				
Mobillity in soil:		No data available				
Partition coefficier		No data available	9			
n-octanol/water (lo		Nie dete euseliekte				
Soil adsorption (K	oc):	No data available				
Henry's Law: constant (PaM ³ /mo	-11	No data available	;			
constant (Faw /mc	5)					
12 DISPOSAL						
Disposal of produc	CONSIDERATIONS	Pocycle to proce	ss if possible. It is the generate	or's responsibility to comply with	Endoral State and Local	
pisposal of produ	υι.			lve or mix material with a comb		
				er and scrubber system. This se		
				does compliance in accordanc		
				EPA guidelines for Identification		
				luct should not be allowed to en		
		water ways, or th			tor the environment, utallis,	
Disposal of contai	ner:		used product. Do not re-use er	moty containers		
Other consideration				when disposing of the substanc	۵	
	<i>J</i> 115.			when disposing of the substance	C.	
14. TRANSPOR	T INFORMATION					
DOT (US)						
UN number:	Proper Shipping N	ame:	Class or Division:	Subrisk(s):	Packing Group:	
UN1723	Allyl iodide		3 Flammable liquid	8 Corrosive material	II	
IATA						
UN number:	Proper Shipping N	ame:	Class or Division:	Subrisk(s):	Packing Group:	
UN1723	Allyl iodide		3 Flammable liquid	8 Corrosive material	II	
IMDG						
UN number:	Proper Shipping N	ame:	Class or Division:	Subrisk(s):	Packing Group:	
UN1723	Allyl iodide		3 Flammable liquid	8 Corrosive material		
	-					
EmS number:		F-E, S-C				
15. REGULATO	RY INFORMATION					
	Control Act (TSCA 8b.) the EPA Toxic Substar		CA) inventory.			
US Federal Regula	ations					
	us substance and Rep					
SARA 313:		Not Listed				
SARA 302:		Not Listed				
State Regulations						
	-					
State Right-to-Kno		Net Liste d				
Massachus	OTTS	Not Listed				

Massachusetts	Not Listed
New Jersey	Not Listed
Pennsylvania	Not Listed
California Proposition 65:	Not Listed

Other Information

TCI AMERICA

Page	6	of	6

NFPA Rating:		HMIS Classification:	
Health:	3	Health:	3
Flammability:	3	Flammability:	3
Instability:	0	Physical:	0
International Invei WHMIS hazard cla		E: Corrosive material. B2: Flammable Liquid.	
Canada: NDSL EC-No:		D1A: Materials causing immediate and serio On NDSL 209-130-4	us toxic effects. (Very Toxic)

16. OTHER INFORMATION

Revision date: 02/02/2016

Revision number: 3

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.