

### Revision number: 2 Revision date: 10/06/2014

### 1. IDENTIFICATION

Product name: Product code: 2'-Methylacetophenone M0172

Product use: Restrictions on use:

> Company: TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

# 2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:	Flammable Liquids [Category 4]
Signal word:	Warning!
Hazard Statement(s):	Combustible liquid
Pictogram(s) or Symbol(s):	None
Precautionary Statement(s): [Prevention] [Response] [Storage] [Disposal]	Keep away from heat, sparks, open flames or other hot surfaces No smoking. Wear protective gloves, eye protection and face protection. In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish. Store in well-ventilated place. Keep cool. Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components:	Substance 2'-Methylacetophenone
Percent:	>98.0%(GC)
CAS Number:	577-16-2
Molecular Weight:	134.18
Chemical Formula:	C <sub>9</sub> H <sub>10</sub> O
Synonyms:	2-Acetyltoluene

# 4. FIRST-AID MEASURES

Inhalation:

Call emergency medical service. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

For laboratory research purposes

i ei laberater) recearer parpeceer
Not for drug or household use.

**TCI AMERICA** 

SAFETY DATA SHEET

4. FIRST-AID MEASURES	
Skin contact:	Call a poison center or doctor if you feel unwell. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye contact:	In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists get medical advice/attention. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	If swallowed, seek medical advice immediately and show the container or label. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	No data available No data available
Immediate medical attention:	If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media:	Dry chemical, CO <sub>2</sub> , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations.
Specific hazards arising from the chemi	
Hazardous combustion products: Other specific hazards:	These products include: Carbon oxides Closed containers may explode from heat of a fire.
Special precautions for fire-fighters: CAUTION: All these products have a very l	ow flash point: Use of water spray when fighting fire may be inefficient. Use water spray or fog; do not use

CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. Use water spray or fog; do not use straight streams. Do not use straight streams. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Move containers from fire area if you can do it without risk.

### Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Use spark-proof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Splash goggles. Lab coat. Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Isolate area until gas has dispersed. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

#### Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

# 7. HANDLING AND STORAGE

Precautions for safe handling: Do NOT breath gas, fumes, vapor, or spray. Avoid contact with skin and eyes. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.

Storage incompatibilities:   Image: Storage incompatibilities:     8. EXPOSURE CONTROLS / PERSONA     Exposure limits:   Image: Storage incompatibilities:     Appropriate engineering controls:   Good general ventilation should be sufficient to fountains should be provided in areas where the engineering/laboratory practices when handling     Personal protective equipment   Respiratory protection:     Respiratory protection:   Image: Stin and body protection:     Hand protection:   Image: Stin and body protection:     Skin and body protection:   Image: Stin and body protection:     9. PHYSICAL AND CHEMICAL PROPER     Physical state (20°C):   Image: Stin and body protection:     Image: Stin and body protection:   Image: Stin and body protection:     9. PHYSICAL AND CHEMICAL PROPER   Image: Stin and body protection:     Physical state (20°C):   Image: Stin and body protection:     Image: Stin and body protection:   Image: Stin and body protection:     Image: Stin and body protection:   Image: Stin and body protection:     Image: Stin and body protection:   Image: Stin and body protection:     Image: Stin and body protection:   Image: Stin and body protection:     Image: Stin and body protection:   Image: Stin and body protection:     Image: Stin and b	tore and use away from he accompatibles. Containers we eakage. Avoid prolonged st combustible substances, St <i>L PROTECTION</i> lo data available control airborne levels. Ve ere is any possibility that we any chemical. dapor respirator. Be sure to Vear protective gloves. eplash goggles. ab coat. <b>RTIES</b> iquid clear colorless - Very pale yellow lo data available lo data available available 21°F)	eat, sparks, open flam which are opened mustorage periods. tore away from oxidiz entilation is normally r orkers could be expo	ne, or any other igr st be carefully rese ing agents equired when hand used to the substar	ce. Follow safe industrial
Conditions for safe storage:   Image: Storage incompatibilities:     Storage incompatibilities:   Image: Storage incompatibilities:     B. EXPOSURE CONTROLS / PERSONA     Exposure limits:   Image: Storage incompatibilities:     Appropriate engineering controls:     Good general ventilation should be sufficient to ountains should be provided in areas where the engineering/laboratory practices when handling     Personal protective equipment     Respiratory protection:     Hand protection:     Skin and body protection:     Skin and body protection:     9. PHYSICAL AND CHEMICAL PROPER     Physical state (20°C):     Image: State (20°C): </td <td>tore and use away from he accompatibles. Containers we eakage. Avoid prolonged st combustible substances, St <i>L PROTECTION</i> lo data available control airborne levels. Ve ere is any possibility that we any chemical. dapor respirator. Be sure to Vear protective gloves. eplash goggles. ab coat. <b>RTIES</b> iquid clear colorless - Very pale yellow lo data available lo data available available 21°F)</td> <td>eat, sparks, open flam which are opened mustorage periods. tore away from oxidiz entilation is normally r orkers could be expo</td> <td>ne, or any other igr st be carefully rese ing agents equired when hand used to the substar</td> <td>dling or using this product. Eyewash nce. Follow safe industrial</td>	tore and use away from he accompatibles. Containers we eakage. Avoid prolonged st combustible substances, St <i>L PROTECTION</i> lo data available control airborne levels. Ve ere is any possibility that we any chemical. dapor respirator. Be sure to Vear protective gloves. eplash goggles. ab coat. <b>RTIES</b> iquid clear colorless - Very pale yellow lo data available lo data available available 21°F)	eat, sparks, open flam which are opened mustorage periods. tore away from oxidiz entilation is normally r orkers could be expo	ne, or any other igr st be carefully rese ing agents equired when hand used to the substar	dling or using this product. Eyewash nce. Follow safe industrial
Storage incompatibilities:   G     B. EXPOSURE CONTROLS / PERSONA     Exposure limits:   Image: Controls:     Cood general ventilation should be sufficient to buntains should be provided in areas where the engineering/laboratory practices when handling     Personal protective equipment     Respiratory protection:     Candidation and body protection:     Skin and body protection:     Depropriate table (20°C):     Color:     Deprotection:     Color:     Definition point/freezing point:     No data     Solling point/freezing point:   No data     Color:   1.02     Composition temperature:   No data     Partition coefficient:   2.22     Partition coefficient:   2.22     Partition coefficient:   2.22     Partition coefficient:   76°C (16     Stash point:   76°C (16     Stash point:   76°C (16	Combustible substances, St L PROTECTION lo data available control airborne levels. Ve ere is any possibility that we any chemical. (apor respirator. Be sure to Vear protective gloves. splash goggles. ab coat. RTIES iquid Clear Colorless - Very pale yellow lo data available lo data available available 21°F)	entilation is normally r entilation is normally r entilation is normally r orkers could be expo	equired when hand sed to the substar	or or equivalent.
Exposure limits:   Image: Second general ventilation should be sufficient to contains should be provided in areas where the engineering/laboratory practices when handling     Personal protective equipment     Respiratory protection:     Add protection:     Hand protection:     Eye protection:	lo data available control airborne levels. Ve ere is any possibility that we any chemical. 'apor respirator. Be sure to Vear protective gloves. splash goggles. ab coat. <b>RTIES</b> iquid Clear Colorless - Very pale yellow lo data available lo data available available 21°F)	vorkers could be expo	sed to the substar	or or equivalent.
Appropriate engineering controls:     Good general ventilation should be sufficient to     bountains should be provided in areas where the     ingineering/laboratory practices when handling     Personal protective equipment     Respiratory protection:     land protection:     land protection:     land protection:     lype protection: <t< td=""><td>control airborne levels. Ve ere is any possibility that we any chemical. 'apor respirator. Be sure to Vear protective gloves. ab coat. <b>RTIES</b> iquid Clear colorless - Very pale yellow lo data available lo data available available 21°F)</td><td>vorkers could be expo</td><td>sed to the substar</td><td>or or equivalent.</td></t<>	control airborne levels. Ve ere is any possibility that we any chemical. 'apor respirator. Be sure to Vear protective gloves. ab coat. <b>RTIES</b> iquid Clear colorless - Very pale yellow lo data available lo data available available 21°F)	vorkers could be expo	sed to the substar	or or equivalent.
Sood general ventilation should be sufficient to buntains should be provided in areas where the ingineering/laboratory practices when handling     Personal protective equipment     Respiratory protection:     Land protection:     Lye protection:     Lysical state (20°C):     Corr:     Corr:     Odor:     Odor:     Decomposition temperature:     No data     Soiling point/range:     Lative density:     Lo2     Corranol/water (log Pow)     Clash point:   76°C (16     Clash point:   76°C (16     Clash point:   76°C (16	ere is any possibility that we any chemical. Vapor respirator. Be sure to Vear protective gloves. splash goggles. ab coat. <b>RTIES</b> iquid Clear colorless - Very pale yellow lo data available lo data available available 21°F)	vorkers could be expo	sed to the substar	or or equivalent.
Respiratory protection:   And protection:     Hand protection:   Main protection:     Eye protection:   Skin and body protection:     B. PHYSICAL AND CHEMICAL PROPE     Physical state (20°C):   I     Form:   Co     Color:   Co     Odor:   I     Dodor:   D     Odor threshold:   I     Melting point/freezing point:   No data     Boiling point/range:   216°C (2     Decomposition temperature:   No data     Relative density:   1.02     Kinematic Viscosity:   No data     Partition coefficient:   2.22     n-octanol/water (log Pow)   To°C (16     Flash point:   76°C (16     Flammability (solid, gas):   No data	Vear protective gloves. splash goggles. ab coat. <b>TTES</b> iquid Clear Colorless - Very pale yellow lo data available lo data available available 21°F)	рН:	approved respirat	
land protection:   Section:     Eye protection:<	Vear protective gloves. splash goggles. ab coat. <b>TTES</b> iquid Clear Colorless - Very pale yellow lo data available lo data available available 21°F)	рН:	approved respirat	
Hand protection:   Section:     Eye protection:<	Vear protective gloves. splash goggles. ab coat. <b>TTES</b> iquid Clear Colorless - Very pale yellow lo data available lo data available available 21°F)	рН:		
Approximate in the image i	ab coat. <b>RTIES</b> iquid Clear colorless - Very pale yellow lo data available lo data available available 21°F)	pH:		No data available
Physical state (20°C):   I     Form:   (0)     Color:   (1)     Odor:   (2)     Odor threshold:   (2)     Melting point/freezing point:   No data     Boiling point/range:   216°C (4)     Decomposition temperature:   No data     Relative density:   1.02     Kinematic Viscosity:   No data     Partition coefficient:   2.22     Poctanol/water (log Pow)   76°C (16)     Flash point:   76°C (16)     No data   No data	iquid Clear Colorless - Very pale yellow Io data available Io data available available 21°F)	pH:		No data available
Form:   ()     Color:   ()     Odor:   ()     Odor threshold:   ()     Melting point/freezing point:   No data     Boiling point/range:   216°C (4     Decomposition temperature:   No data     Relative density:   1.02     Kinematic Viscosity:   No data     Partition coefficient:   2.22     Poctanol/water (log Pow)   76°C (16     Clash point:   76°C (16     Hammability (solid, gas):   No data	clear Colorless - Very pale yellow lo data available lo data available available 21°F)	pH:		No data available
Form:   Color:     Color:   Color:     Odor threshold:   Melting point/freezing point:     Melting point/freezing point:   No data     Boiling point/range:   216°C (4     Decomposition temperature:   No data     Relative density:   1.02     Kinematic Viscosity:   No data     Partition coefficient:   2.22     Proctanol/water (log Pow)   76°C (16     Flash point:   76°C (16     Flash point:   No data	colorless - Very pale yellow lo data available lo data available available 21°F)	pH:		No data available
Odor:   Image: Provide the shold:     Delting point/freezing point:   No data     Soling point/range:   216°C (4     Decomposition temperature:   No data     Composition temperature:   No data     Partition coefficient:   2.22     -octanol/water (log Pow)   76°C (16     Tash point:   76°C (16     Tammability (solid, gas):   No data	lo data available lo data available available 21°F)	pH:		No data available
Odor threshold:   I     Melting point/freezing point:   No data     Soiling point/range:   216°C (4     Decomposition temperature:   No data     Relative density:   1.02     Cinematic Viscosity:   No data     Partition coefficient:   2.22     -octanol/water (log Pow)   76°C (16     Hash point:   76°C (16     Hammability (solid, gas):   No data	lo data available available 21°F)	•		No data available
Boiling point/range:   216°C (4     Decomposition temperature:   No data     Relative density:   1.02     Kinematic Viscosity:   No data     Partition coefficient:   2.22     Proctanol/water (log Pow)   76°C (16     Flash point:   76°C (16     No data   76°C (16	21°F)	•		No data available
Boiling point/range:   216°C (4     Decomposition temperature:   No data     Relative density:   1.02     Kinematic Viscosity:   No data     Partition coefficient:   2.22     Proctanol/water (log Pow)   76°C (16     Flash point:   76°C (16     No data   76°C (16	21°F)	•		
Relative density:   1.02     Kinematic Viscosity:   No data     Partition coefficient:   2.22     Proctanol/water (log Pow)   2.22     Flash point:   76°C (16     Flash point:   76°C (16     Flammability (solid, gas):   No data	a vallala la			No data available
Clinematic Viscosity:   No data     Partition coefficient:   2.22     Poctanol/water (log Pow)   2.22     Flash point:   76°C (16     Clammability (solid, gas):   No data	avalladie	Vapor density:		No data available
-octanol/water (log P <sub>ow</sub> ) Flash point: 76°C (16 Flammability (solid, gas): No data	available	Dynamic Viscosi	ty:	No data available
ilash point: 76°C (16 ilammability (solid, gas): No data		Evaporation rate:	:	No data available
Iammability (solid, gas): No data		(Butyl Acetate = 1)	)	
Solubility/ios).	9°F) available	Autoignition tem Flammability or e Lower:		No data available able
Solubility/ies):		Upper:	No data availa	able
Water: Very slightly soluble (1120n	a/L. 25°C)			
0. STABILITY AND REACTIVITY	<u> </u>			
	1- ( A 'I- b. I-			
Reactivity:Not Available.Chemical Stability:Stable under recommended storage conditions. (See Section 7)Possibility of Hazardous Reactions:In use, may form flammable/explosive vapor-air mixture.Conditions to avoid:Avoid excessive heat and light.Incompatible materials:Oxidizing agentsHazardous Decomposition Products:No data available				
11. TOXICOLOGICAL INFORMATION				
	Dxidizing agents			

2'-Methylace	tophenone	TCI AM	ERICA		Page 4 c	of 5
<b>Acute Toxic</b> i No data avail						
<b>Skin corrosi</b> No data avail	on/irritation: able					
<b>Serious eye</b> No data avail	damage/irritation: able					
<b>Respiratory</b> No data avail	or skin sensitization: able					
<b>Germ cell m</b> No data avail						
Carcinogeni	city:					
No data avail	able					
IARC:	No data available	NTP:	No data available	OSHA:	No data available	
<b>Reproductiv</b> No data avail						
No specific in be kept to a r <b>Potential He</b>	elated to exposure: Iformation is available in our da ninimum. Always follow safe ir alth Effects:	ndustrial hygiene pra	e toxic effects of this mater ctices and wear proper prof	tective equipment when	0 1	t
No specific in Target organ	formation available; skin and e	eye contact may resu No data available	It in irriatation. May be har	mful if inhaled or ingeste	d.	

e; si No data available ау Target organ(s):

# 12. ECOLOGICAL INFORMATION

Ecotoxicity Fish: Crustacea: Algae:	No data available No data available No data available
Persistence and degradability: Bioaccumulative potential (BCF): Mobillity in soil: Partition coefficient:	No data available No data available No data available 2.22
n-octanol/water (log P <sub>ow</sub> ) Soil adsorption (Koc): Henry's Law: constant (PaM <sup>3</sup> /mol)	No data available No data available

13. DISPOSAL CONSIDERATI	ONS
Disposal of product:	Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.
Disposal of container:	Dispose of as unused product. Do not re-use empty containers.
Other considerations:	Observe all federal, state and local regulations when disposing of the substance.
14. TRANSPORT INFORMATIC	N
DOT (US)	Non-hazardous for transportation.
ΙΑΤΑ	Non-hazardous for transportation.
IMDG	Non-hazardous for transportation.

# 15. REGULATORY INFORMATION

#### Toxic Substance Control Act (TSCA 8b.):

This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 CFR 720.36 (C) for those products not on the inventory list:

(i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in 40 CFR 720.0 et sec.

HMIS Classification: Health:

Flammability:

Physical:

B3: Combustible Liquid.

209-408-5

0

2 0

(ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be supplied on a SDS sheet.

### **US Federal Regulations**

**CERCLA Hazardous substance and Reportable Quantity:** 

SARA 313:	Not Listed
SARA 302:	Not Listed

### **State Regulations**

State Right-to-Know

Massachusetts	Not Listed
New Jersey	Not Listed
Pennsylvania	Not Listed
California Proposition 65:	Not Listed

#### **Other Information**

#### **NFPA Rating:**

Health:	0
Flammability:	2
Instability:	0

### International Inventories

WHMIS hazard class: EC-No:

### 16. OTHER INFORMATION

### Revision date: 10/06/2014

#### **Revision number: 2**

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.