

Revision number: 3 Revision date: 02/02/2016

IDENTIFICATION 1.

Product name: Product code:

4-Bromo-o-xylene (contains 3-Bromo-o-xylene) B1346

TCI AMERICA

SAFETY DATA SHEET

Product use: **Restrictions on use:**

Company:

TCI America 9211 N. Harbor Portland, OR 97 Telephone: +1-800-423-861 Fax: +1-888-520-107 e-mail: sales-US@TClo www.TCIchemic

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Oral [Category 4] Acute Toxicity - Inhalation [Category 4] Skin Corrosion/Irritation [Category 2] Eye Damage/Irritation [Category 2A] Flammable Liquids [Category 4] Aquatic Hazard (Acute) [Category 2] Aquatic Hazard (Long-Term) [Category 2]


Warning!

Signal word:

Hazard Statement(s):

Causes serious eye irritation Causes skin irritation Combustible liquid Harmful if swallowed Harmful if inhaled Toxic to aquatic life Toxic to aquatic life with long lasting effects

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention]

[Response]

[Storage]

[Disposal]

Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Avoid breathing fume, mist, vapors or spray. Use only outdoors or in a well-ventilated area. Wear protective gloves. Wear eye and face protection. Keep away from heat, sparks, open flames or other hot surfaces. No smoking. Wear protective gloves, eye protection and face protection.

If swallowed: Immediately call a poison center or doctor. Rinse mouth. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish. Store in well-ventilated place. Keep cool.

Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

For laboratory research purposes. Not for drug or household use.

	Emergency telephone number: Chemical Emergencies:
rgate Street	TCI America (8:00am - 5:00pm) PST
17203 U.S.A.	+1-503-286-7624
	Transportation Emergencies:
16 / +1-503-283-1681	Chemtrec 24-Hour
	+1-800-424-9300 (U.S.A.)
75 / +1-503-283-1987	+1-703-527-3887 (International)
	Responsible department:
Ichemicals.com	TCI America
icals.com	Environmental Health Safety and Security
	+1- 503-286-7624

2. HAZARD(S) IDENTIFICATION

Hazards not otherwise classified: [HNOC] Lachrymator

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components: Percent: CAS Number: Molecular Weight: Chemical Formula: Synonyms:	Substance 4-Bromo-o-xylene (contains 3-Bromo-o-xylene) >75.0%(GC) 583-71-1 185.06 C ₈ H ₉ Br 4-Bromo-1,2-dimethylbenzene (contains 3-Bromo-o-xylene)
4. FIRST-AID MEASURES	
Inhalation:	Call emergency medical service. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Skin contact:	Call a poison center or doctor if you feel unwell. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye contact:	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	Harmful if swallowed. Do not induce vomiting with out medical advice. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	Redness. No data available
Immediate medical attention:	WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is harmful. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media:	Dry chemical, CO_2 , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations.
Specific hazards arising from the chemic Hazardous combustion products: Other specific hazards:	cal These products include: Carbon oxides Halogenated compounds Closed containers may explode from heat of a fire.
Special precautions for fire-fighters:	strages Dike fire central water for later diapocal, do not center the material CAUTION: All these products

explosion hazard. Containers may explode when heated. Move containers from fire area if you can do it without risk. Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. Do not use straight streams. Runoff to sewer may create fire or

6. ACCIDENTAL RELEASE MEASURES

6. ACCIDENTAL RELEASE MEASURES				
Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Use spark- proof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.			
Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).			
Emergency procedures:	Isolate area until gas has dispersed. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.			

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. **Environmental precautions:**

Keep away from living quarters. Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE	
Precautions for safe handling:	Do NOT breath gas, fumes, vapor, or spray. Do not ingest. Avoid contact with skin and eyes. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.
Conditions for safe storage:	Keep only in the original container in a cool well-ventilated place. Keep away from sources of ignition. Store and use away from heat, sparks, open flame, or any other ignition source. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods.
Storage incompatibilities:	Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

No data available

Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection:	Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Wear protective gloves.
Eye protection:	Splash goggles.
Skin and body protection:	Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):
Form:
Color:
Odor:
Odor threshold:

Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic Viscosity:

Partition coefficient: n-octanol/water (log Pow) Liquid Clear Colorless - Slightly pale yellow No data available No data available

0°C (32°F) 208°C (406°F) No data available 1.37 No data available 3.93 pH: Vapor pressure: Vapor density: Dynamic Viscosity:

Evaporation rate: (Butyl Acetate = 1) No data available No data available No data available No data available

No data available

9. PHYSICAL AND CHEM							
Flash point: Flammability (solid, gas):		176°F) a available		gnition temp nability or ex Lower:	erature: plosive limits: No data availa	No data available ble	
				Upper:	No data availa	ble	
Solubility(ies):							
10. STABILITY AND READ	CTIVITY						
Reactivity: Chemical Stability: Possibility of Hazardous Rea Conditions to avoid: ncompatible materials: Hazardous Decomposition P		Not Available. Stable under reco In use, may form Avoid excessive h Oxidizing agents No data available	•	conditions. (S e vapor-air m	See Section 7) ixture.		
11. TOXICOLOGICAL INF	ORMATION	1					
RTECS Number: CY9020400							
Acute Toxicity: No data available							
Skin corrosion/irritation: No data available							
Serious eye damage/irritatior No data available	1:						
Respiratory or skin sensitiza No data available	tion:						
Germ cell mutagenicity: No data available							
Carcinogenicity:							
No data available							
IARC: No data availab	le	NTP:	No data availab	e	OSHA:	No data available	
Reproductive toxicity: No data available							
Routes of Exposure: Symptoms related to exposu		-	ontact, Ingestion, S				
Dverexposure may result in se plistering. Skin contact may res edness, watering, and itching. Potential Health Effects:	sult in redness	, pain or dry skin. E	Et may result in infl Eye contact may re	ammation; cha sult in redness	aracterized by itch s or pain. Inflamma	ing, scaing, reddening, o ation of the eye is charac	terized by
Skin and eye contact may resu Target organ(s):	It in irritation.	No data available					
12. ECOLOGICAL INFORI	MATION						
Ecotoxicity		.					
Fish: Crustacea:		No data available No data available					
Algae:		No data available					

Persistence and degradability:	No data available
Bioaccumulative potential (BCF):	No data available
Mobillity in soil:	No data available
Partition coefficient:	3.93
n-octanol/water (log Pow) Soil adsorption (Koc):	No data available

Henry's Law: No data av constant (PaM ³ /mol)		o data available	ailable			
13. DISPOSAI	CONSIDERATIONS					
Disposal of product: R ru ch as re W www.		Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil. Dispose of as unused product. Do not re-use empty containers.				
Other considerations:		bserve all federal, state and local regulation	ns when disposing of the substance.			
14. TRANSPO	RT INFORMATION					
DOT (US) UN number: UN1701	Proper Shipping Nar Xylyl bromide, liquid	Class or Division: 6.1 Toxic material.	Packing Group: II			

Class or Division:

6.1 Toxic material.

Packing Group:

II

Page 5 of 6

US Federal Regulations

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

IMDG

UN1701

UN number:

Air Transport:

EmS number:

CERCLA Hazardous substance and Reportable Quantity:				
SARA 313:	Not Listed			
SARA 302:	Not Listed			

Proper Shipping Name:

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

Cargo Aircraft Only.

F-A, S-A

Xylyl bromide, liquid

State Regulations

State Right-to-Know		
Massachusetts	Not Listed	
New Jersey	Not Listed	
Pennsylvania	Not Listed	

Other Information

California Proposition 65:

NFPA Rating:

Health:	2	Health:
Flammability:	2	Flammability:
Instability:	0	Physical:

Not Listed

International Inventories

WHMIS hazard class:

EC-No:

B3: Combustible Liquid. D2A: Materials causing other toxic effects. (Very Toxic) D2B: Materials causing other toxic effects. (Toxic) 209-518-3

HMIS Classification:

2 2 0

16. OTHER INFORMATION

Revision date: 02/02/2016 Revision number: 3

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.