

Revision number: 3 Revision date: 08/18/2015

1. IDENTIFICATION

Product	name:
Product	code:

2-Hexanone H0114

Product use: Restrictions on use:

For laboratory research purposes. Not for drug or household use. Em

Company: TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:	Eye Damage/Irritation [Category 2A] Specific Target Organ Toxicity (Single Exposure) [Category 3] Specific Target Organ Toxicity (Repeated Exposure) [Category 1] Specific Target Organ Toxicity (Repeated Exposure) [Category 2] Flammable Liquids [Category 3]
Signal word:	Danger!
Hazard Statement(s):	Causes serious eye irritation Flammable liquid and vapor May cause respiratory irritation. Causes damage to organs: Peripheral Nervous System through prolonged or repeated exposure. May cause damage to organs: Testis Central Nervous System through prolonged or repeated exposure.
Pictogram(s) or Symbol(s):	
Precautionary Statement(s): [Prevention]	Wash hands and face thoroughly after handling. Wear eye and face protection. Avoid breathing fume, mist, vapors or spray.

TCI AMERICA

SAFETY DATA SHEET

Emergency telephone number:

TCI America (8:00am - 5:00pm) PST

Chemical Emergencies:

Transportation Emergencies:

+1-703-527-3887 (International) Responsible department:

Environmental Health Safety and Security

+1-503-286-7624

Chemtrec 24-Hour +1-800-424-9300 (U.S.A.)

+1-503-286-7624

TCI America

[Response]

[Storage]

[Disposal]

vapors or spray. Use only outdoors or in a well-ventilated area. Do not breathe fume, mist, vapors or spray. Do not eat, drink or smoke when using this product. Keep away from heat, sparks, open flames or other hot surfaces. - No smoking. Keep container tightly closed. Ground or bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting, and equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves, eye protection and face protection. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. Get medical advice or attention if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in a well-ventilated place. Keep cool.

Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

2. HAZARD(S) IDENTIFICATION

Hazards not otherwise classified: [HNOC] May be harmful if swallowed and enters airways. May be harmful if in contact with skin. May be harmful if swallowed.

3. COMPOSITION/INFORMATION	ON INGREDIENTS
Substance/Mixture:	Substance
Components:	2-Hexanone
Percent:	>98.0%(GC)
CAS Number:	591-78-6
Molecular Weight:	100.16
Chemical Formula:	C ₆ H ₁₂ O
Synonyms:	Butyl Methyl Ketone
4. FIRST-AID MEASURES	
L	
Inhalation:	Call a poison center or doctor if you feel unwell. Effects of exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Skin contact:	Call a poison center or doctor if you feel unwell. Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye contact:	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	Do not induce vomiting with out medical advice. Effects of exposure (ingestion) to substance may be delayed. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	Redness. May have effects on the respiratory tract.
Immediate medical attention:	If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media:	Dry chemical, CO_2 , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations.
Specific hazards arising from the che	mical
Hazardous combustion products: Other specific hazards:	These products include: Carbon oxides Closed containers may explode from heat of a fire.
Special processions for fire fighters	

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. Do not use straight streams. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Move containers from fire area if you can do it without risk. **Special protective equipment for fire-fighters:**

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Use spark- proof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Isolate area until gas has dispersed. Do not clean-up or dispose except under supervision of a specialist. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material.

Environmental precautions:

Keep away from living quarters. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE Precautions for safe handling: Do NOT breath gas, fumes, vapor, or spray. Avoid contact with skin and eyes. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition. Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of Conditions for safe storage: ignition. Store and use away from heat, sparks, open flame, or any other ignition source. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Combustible substances, Store away from oxidizing agents Storage incompatibilities:

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:	
ACGIH TLV (TWA):	5 ppm (skin)
ACGIH TLV (STEL):	10 ppm (skin)
OSHA PEL (TWA):	100 ppm

Appropriate engineering controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection:	Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Wear protective gloves.
Eye protection:	Splash goggles.
Skin and body protection:	Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Liquid
Form:	Clear
Color:	Colorless - Very pale yellow
Odor:	Characteristic
Odor threshold:	0.076 ppm

2-Hexanone

9. PHYSICAL AND CHEMICA	L PROPERTIES		
Melting point/freezing point:	-57°C (-71°F)	pH:	No data available
Boiling point/range:	127°C (261°F)	Vapor pressure:	0.36kPa/20°C
Decomposition temperature:	No data available	Vapor density:	3.5
Relative density:	0.81	Dynamic Viscosity:	No data available
Kinematic Viscosity:	No data available		
Partition coefficient: n-octanol/water (log Pow)	1.38	Evaporation rate: (Butyl Acetate = 1)	No data available
Flash point: Flammability (solid, gas):	23°C (73°F) No data available	Autoignition temperature: Flammability or explosive limits:	423°C (793°F)
		Lower: 1.2%	
		Upper: 8%	
Solubility(ies):			

TCI AMERICA

Water: Slightly soluble (1.4g/100mL, 20°C) Soluble: Ether, Alcohols, Acetone

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of Hazardous Reactions: Conditions to avoid: Incompatible materials: **Hazardous Decomposition Products:** Not Available. Stable under recommended storage conditions. (See Section 7) In use, may form flammable/explosive vapor-air mixture. Avoid excessive heat and light. Oxidizing agents No data available

orl-hmn LDLo:714.3 mg/kg

skn-rbt LD50:4800 mg/kg

11. TOXICOLOGICAL INFORMATION

RTECS Number: MP1400000

Acute Toxicity: ihl-rat LC50:8000 ppm/4H

orl-rat LD50:2590 mg/kg

Skin corrosion/irritation: skn-rbt 500 mg/24H MLD

Serious eye damage/irritation: eye-rbt 500 mg/24H MLD

Respiratory or skin sensitization: No data available

Germ cell mutagenicity: sln-smc 48 mmol/L

Carcinogenicity:

No data available

IARC: No data available

NTP: No data available OSHA: No data available

Reproductive toxicity:

ihl-rat TCLo:1000 ppm/6H(1-21D preg)

Routes of Exposure:

Inhalation, Eye contact, Ingestion, Skin contact.

Symptoms related to exposure:

Eye contact may result in redness or pain. Inhalation causes irritation of the lungs and respiratory system. Overexposure may result in serious illness or death.

Potential Health Effects:

Skin and eye contact may result in irritation. Inhalation causes irritation of the lungs and respiratory system. May be harmful if inhaled or ingested. Overexposure may result in serious illness or death.

May be harmful if swallowed and enters airways.

Aspiration hazard:

Target organ(s):

TCI AMERICA

May cause respiratory irritation. Causes damage to organs: Peripheral Nervous System through prolonged or repeated exposure. May cause damage to organs: Testis Central Nervous System through prolonged or repeated exposure.

12. ECOLOGICA	AL INFORMATION			
Ecotoxicity Fish: Crustacea: Algae:	:	No data availab No data availab No data availab	le	
Persistence and degradability: Bioaccumulative potential (BCF): Mobility in soil: Partition coefficient: n-octanol/water (log Pow) Soil adsorption (Koc): Henry's Law: constant (PaM ³ /mol)		No data available 7 No data available 1.38 134 9.4		
13. DISPOSAL (CONSIDERATIONS			
Disposal of produ Disposal of conta Other considerati	ict: iner:	rules and regula chemical incine assistance but o regulatory comp Waste are listed water ways, or t Dispose of as u	titions. You may be able to disso rator equipped with an afterburn loes not replace these laws, nor liance according to the law. US I in 40 CFR Parts 261. The prod he soil. nused product. Do not re-use er	br's responsibility to comply with Federal, State and Local live or mix material with a combustible solvent and burn in a er and scrubber system. This section is intended to provide does compliance in accordance with this section ensure EPA guidelines for Identification and Listing of Hazardous luct should not be allowed to enter the environment, drains, mpty containers. when disposing of the substance.
DOT (US) UN number: UN1224	Proper Shipping Na Ketones, liquid, n.o.s		Class or Division: 3 Flammable liquid	Packing Group: III
IATA UN number: UN1224	Proper Shipping Na Ketones, liquid, n.o.s		Class or Division: 3 Flammable liquid	Packing Group:
IMDG UN number: UN1224	Proper Shipping Na Ketones, liquid, n.o.s		Class or Division: 3 Flammable liquid	Packing Group: III
EmS number:		F-E, S-D		
15. REGULATO	RY INFORMATION			
	Control Act (TSCA 8b.): the EPA Toxic Substand		SCA) inventory.	
US Federal Regul	ations			
CERCLA Hazardo SARA 313: SARA 302:		ortable Quantity: Not Listed Not Listed		
State Regulations				

State Regulations State Right-to-Know

•	
Massachusetts	Not Listed
New Jersey	Not Listed
Pennsylvania	Not Listed
California Proposition 65:	Listed

TCI AMERICA

15. REGULATORY INFORMA Other Information	non		
NFPA Rating:	HMIS Classification:		
Health: 0	Health:	1	
Flammability: 3	Flammability:	3	
Instability: 0	Physical:	0	
International Inventories			
WHMIS hazard class:	B2: Flammable Liquid.		
	D2B: Materials causing other toxic effects. (T	Foxic)	
EC-No:	209-731-1		
16. OTHER INFORMATION			

Revision date: 08/18/2015

Revision number: 3

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.