

Revision number: 4 Revision date: 10/17/2016

IDENTIFICATION 1.

Product name: Product code:

meso-2,3-Dibromosuccinic Acid D0211

For laboratory research purposes.

Not for drug or household use.

Product use: Restrictions on use:

Company: TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Corrosive to Metals [Category 1]

Signal word:

Hazard Statement(s):

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention]

[Response]

[Storage] [Disposal]

Do not breathe dusts or mists. Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, eye protection and face protection. Wear eye protection. Wear face protection (full length face shield). Keep only in original container. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

3. COMPOSITION/INFORMATION ON INGREDIENTS


Substance/Mixture:

Substance

SAFETY DATA SHEET

TCI AMERICA

Emergency telephone number: Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) **Responsible department: TCI** America Environmental Health Safety and Security +1-503-286-7624



TCI AMERICA

Components:	meso-2,3-Dibromosuccinic Acid	
Percent:	>98.0%(T)	
CAS Number:	608-36-6	
Molecular Weight:	275.88	
Chemical Formula:	$C_4H_4Br_2O_4$	

4. FIRST-AID MEASURES

Inhalation:	Immediately call a poison center or doctor. Effects of exposure (inhalation) to substance may be delayed. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Skin contact:	For severe burns, immediate medical attention is required. Immediately call a poison center or doctor. Remove and wash contaminated clothing before re-use. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that
Eye contact:	medical personnel are aware of the material(s) involved and take precautions to protect themselves. IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Eye contact with vapors or substance may cause severe injury, burns, or death. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat
Ingestion:	symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Do not induce vomiting with out medical advice. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	Pain. Redness. No data available
Immediate medical attention:	WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is corrosive. For severe burns, immediate medical attention is required. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media:	Dry chemical, CO_2 or water spray. Consult with local fire authorities before attempting large scale fire fighting operations.
Specific hazards arising from the che	mical
Hazardous combustion products: Other specific hazards:	These products include: Carbon oxides Halogenated compounds Closed containers may explode from heat of a fire.
heated. Move containers from fire area Special protective equipment for fire - Wear positive pressure self-contained b	
6. ACCIDENTAL RELEASE MEAS	SURES
Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn

 Personal protective equipment:
 Avoid contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing. Reep people away from and dowing of spinleak. Do Not contact with skift, eyes, and clothing of spinleak.

 Personal protective equipment:
 Wear eye protection (spinleak goggles) and face protection (full length face shield). Lab coat. Dust respirator. De sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).

6. ACCIDENTAL RELEASE MEASURES Emergency procedures: Provide Action Proceedings

Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Ventilate the area. **Environmental precautions:**

Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE	
Precautions for safe handling:	Avoid inhalation of vapor or mist. Manipulate under an adequate fume hood. Avoid contact with skin and eyes. May corrode metallic surfaces. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.
Conditions for safe storage:	Store in corrosive resistant container with a resistant inner liner. Keep containers tightly closed in a cool, well-ventilated place. Store locked up. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods.
Storage incompatibilities:	Bases, Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

No data available

Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment	
Respiratory protection:	Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Nitrile gloves.
Eye protection:	Safety glasses.
Skin and body protection:	Wear protective clothing (lab coat and chemical resistant boots).

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Form: Color: Odor: Odor threshold:	Solid Crystal - Powder White - Almost white No data available No data available		
Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic Viscosity:	256°C (493°F) No data available No data available No data available No data available	pH: Vapor pressure: Vapor density: Dynamic Viscosity:	No data available No data available No data available No data available
Partition coefficient: n-octanol/water (log Pow)	No data available	Evaporation rate: (Butyl Acetate = 1)	No data available
Flash point: Flammability (solid, gas):	No data available No data available	Autoignition temperature: Flammability or explosive limits Lower: No data av	
Solubility/ico).		Upper: No data av	ailable

Solubility(ies): Soluble: Methanol

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Corrodes in contact with metals. Stable under recommended storage conditions. (See Section 7)

TCI AMERICA

10. STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: Conditions to avoid: Incompatible materials: Hazardous Decomposition Products: No hazardous reactivity has been reported. Avoid excessive heat and light. Oxidizing agents No data available

11. TOXICOLOGICAL INFORMATION

Acute Toxicit No data availa					
Skin corrosio No data availa					
Serious eye d No data availa	amage/irritation: ble				
Respiratory o No data availa	r skin sensitization: ble				
Germ cell mu No data availa					
Carcinogenic	ity:				
No data availa	ble				
IARC:	No data available	NTP:	No data available	OSHA:	No data available
Reproductive No data availa					
Skin contact m contact can re Potential Hea	lated to exposure: hay produce burrns. Skin conta sult in corneal damage or blind Ith Effects: prmation available; skin and e	ct may result in infla Iness.		by itching, scaling, reddenii	ng, or occasionally blistering. Eye

12. ECOLOGICAL INFORMATION

Fish: Crustacea: Algae:	No data available No data available No data available
Persistence and degradability: Bioaccumulative potential (BCF): Mobillity in soil: Partition coefficient: n-octanol/water (log Pow)	No data available No data available No data available No data available
Soil adsorption (Koc): Henry's Law: constant (PaM³/mol)	No data available No data available

13. DISPOSAL CONSIDERATIONS	
Disposal of product:	Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.
Disposal of container: Other considerations:	Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

DOT (US) UN number: UN3261	Proper Shipping Name: Corrosive solid, acidic, organic, n.o.s.	Class or Division: 8 Corrosive material	Packing Group: III
IATA UN number: UN3261	Proper Shipping Name: Corrosive solid, acidic, organic, n.o.s.	Class or Division: 8 Corrosive material	Packing Group:
IMDG UN number: UN3261	Proper Shipping Name: Corrosive solid, acidic, organic, n.o.s.	Class or Division: 8 Corrosive material	Packing Group: III
EmS number:	F-A, S-B		

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.): This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

	d Reportable Quantity:			
	Not Listed			
	Not Listed			
S	Not Listed			
	Not Listed			
	Not Listed			
n 65:	Not Listed			
		HMIS Classification:		
		Health:	3	
		Flammability:	0	
		Physical:	0	
ies				
	E. Corrosive mate	rial		
	452-290-7			
r	s n 65: <u>ries</u>	s Not Listed s Not Listed n 65: Not Listed	Not Listed s Not Listed Not Listed Not Listed Not Listed Not Listed Not Listed HMIS Classification: Health: Flammability: Physical: E: Corrosive material.	Not Listed Not Listed Not Listed Not Listed Not Listed Not Listed HMIS Classification: Health: 3 Flammability: 0 Physical: 0 E: Corrosive material.

Revision date: 10/17/2016

Revision number: 4

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective gogles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.