

Revision number: 2 Revision date: 10/06/2014

# 1. IDENTIFICATION

Product name: Product code: N,N-Dibutylaniline D0222

#### Product use: Restrictions on use:

#### Company:

CI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

## 2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:

Acute Toxicity - Oral [Category 4] Acute Toxicity - Dermal [Category 4] Acute Toxicity - Inhalation [Category 4] Skin Corrosion/Irritation [Category 2] Eye Damage/Irritation [Category 2A]

Signal word:

Hazard Statement(s):

Causes serious eye irritation Causes skin irritation Harmful if swallowed Harmful in contact with skin Harmful if inhaled

Warning!

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention]

[Response]

[Storage] [Disposal] Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Wear protective gloves and protective clothing. Avoid breathing fume, mist, vapors or spray. Use only outdoors or in a well-ventilated area. Wear protective gloves. Wear eye and face protection.

If swallowed: Immediately call a poison center or doctor. Rinse mouth. If on skin: Wash with plenty of water. Call a poison center or doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If skin irritation or rash occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

None

Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

For laboratory research purposes.

Not for drug or household use.

**TCI AMERICA** 

SAFETY DATA SHEET

#### Emergency telephone number: Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) Responsible department: TCI America Environmental Health Safety and Security +1- 503-286-7624

**TCI AMERICA** 

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components:	Substance N,N-Dibutylaniline
Percent:	>98.0%(GC)
CAS Number:	613-29-6
Molecular Weight:	205.35
Chemical Formula:	C <sub>14</sub> H <sub>23</sub> N

# 4. FIRST-AID MEASURES

Eye contact:       medical personnel are aware of the material(s) involved and take precautions to protect themselves.         IMMEDIATELY fush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may irritate or burn eyes. Call emergency medical service. Move vicinin to fresh air. Check for and exponence are aware of the material(s) involved and take precautions to protect themselves.         Ingestion:       Ingestion:       Effect of a least 15 minutes, keeping eyeling and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.         Ingestion:       Harmful if swallowed. Do not induce youth method fix clinin ingested the substance, give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or Poison Control center immediately. Do not use wouth-to-mouth method fix clinin ingested the substance, give artificial respiration waterial (s) involved and take precautions to protect themselves.         Symptoms/effects:       Redness.         Acute:       Redness.         Delayed:       No data available         Immediate medical attention:       WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is harmful. If breathing has stopped, perform artificial respiration, because the inhaled material is harmful. If breathing has stopped, perform artificial respiration, because the inhaled material is harmful. If breathing has stopped, perform artificial respiration, because the inhaled material is harmful. If breathing has st	Inhalation: Skin contact:	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s)			
Ingestion:       Harmful if swallowed. Do not induce vorniting with out medical advice. Call a physician or Poison Control         Center immediately. Do not use mouth-to-mouth method if victim ingested the substance: give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vonitis place them in the recovery position so that vomit will not renert the mouth and thorat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.         Symptoms/effects:       Redness.         Acute:       Redness.         Delayed:       No data available         Immediate medical attention:       WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is harmful. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.         S. FIRE-FIGHTING MEASURES       Dry chemical, CO2, sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations.         Specific hazards:       These products include: Carbon oxides Nitrogen oxides         Other specific hazards:       These products include: Carbon oxides Nitrogen oxides         Other specific hazards:       These products include: Carbon oxides Nitrogen oxides	Eye contact:				
Acute: Delayed:       Redness. No data available         Immediate medical attention:       WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is harmful. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.         5. FIRE-FIGHTING MEASURES         Suitable extinguishing media:       Dry chemical, CO <sub>2</sub> , sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations.         Specific hazards arising from the chemical Hazardous combustion products:       These products include: Carbon oxides Nitrogen oxides Closed containers may explode from heat of a fire.         Special precautions for fire-fighters:       Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.         Special protective equipment for fire-fighters: Wear positive pressure self-contained breatting apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations.         Vear positive pressure self-contained breatting apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection.	Ingestion:	Harmful if swallowed. Do not induce vomiting with out medical advice. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the			
Delayed:         No data available           Immediate medical attention:         WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is harmful. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.           5. FIRE-FIGHTING MEASURES         Dry chemical, CO <sub>2</sub> , sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations.           Specific hazards arising from the chemical Hazardous combustion products:         These products include: Carbon oxides Nitrogen oxides Other specific hazards:         These products include: Carbon oxides Nitrogen oxides Other specific hazards:         Containers may explode from heat of a fire.           Special precautions for fire-fighters:         Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.         Special protective equipment for fire-fighters:           Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little on thermal protection.	Symptoms/effects:				
the inhaled material is harmful. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.  5. FIRE-FIGHTING MEASURES  Suitable extinguishing media: Dry chemical, CO <sub>2</sub> , sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations.  Specific hazards arising from the chemical Hazardous combustion products: These products include: Carbon oxides Nitrogen oxides Other specific hazards: Closed containers may explode from heat of a fire.  Special precautions for fire-fighters: Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk. Special protective equipment for fire-fighters: Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.					
Suitable extinguishing media:       Dry chemical, CO <sub>2</sub> , sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations.         Specific hazards arising from the chemical       Hazardous combustion products:         These products include: Carbon oxides Nitrogen oxides         Other specific hazards:       Closed containers may explode from heat of a fire.         Special precautions for fire-fighters:       Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.         Special protective equipment for fire-fighters:       Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.	Immediate medical attention:	the inhaled material is harmful. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s)			
attempting large scale fire fighting operations.         Specific hazards arising from the chemical         Hazardous combustion products:       These products include: Carbon oxides Nitrogen oxides         Other specific hazards:       Closed containers may explode from heat of a fire.         Special precautions for fire-fighters:       Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.         Special protective equipment for fire-fighters:         Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations. ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.	5. FIRE-FIGHTING MEASURES				
Hazardous combustion products:       These products include: Carbon oxides Nitrogen oxides         Other specific hazards:       Closed containers may explode from heat of a fire.         Special precautions for fire-fighters:       Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.         Special protective equipment for fire-fighters:       Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations. ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.	Suitable extinguishing media:				
Other specific hazards:       Closed containers may explode from heat of a fire.         Special precautions for fire-fighters:       Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.         Special protective equipment for fire-fighters:       Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations. ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.					
Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk. <b>Special protective equipment for fire-fighters:</b> Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.					
6. ACCIDENTAL RELEASE MEASURES	Use water spray or fog; do not use straig heated. Move containers from fire area if <b>Special protective equipment for fire-f</b> Wear positive pressure self-contained bro ONLY; it may not be effective in spill situa	you can do it without risk. ighters: eathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations			
	6. ACCIDENTAL RELEASE MEASURES				

Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).

**Emergency procedures:** 

#### 6. ACCIDENTAL RELEASE MEASURES

In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

#### Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. **Environmental precautions:** 

Keep away from living quarters. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

# 7. HANDLING AND STORAGE Precautions for safe handling: Do NOT breath gas, fumes, vapor, or spray. Do not ingest. Avoid contact with skin and eyes. Avoid contact with skin. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition. Conditions for safe storage: Keep only in the original container in a cool well-ventilated place. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon).

Combustible substances, Store away from oxidizing agents

Storage incompatibilities:

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

No data available

#### Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment	
Respiratory protection:	Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Wear protective gloves.
Eye protection:	Splash goggles.
Skin and body protection:	Lab coat.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):
Form:
Color:
Odor:
Odor threshold:

Liquid Clear Pale yellow - Reddish yellow No data available No data available

Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic Viscosity:	No data available 266°C (511°F) No data available 0.91 No data available	pH: Vapor pressure: Vapor density: Dynamic Viscosity	:	No data available No data available No data available No data available
Partition coefficient: n-octanol/water (log Pow)	No data available	Evaporation rate: (Butyl Acetate = 1)		No data available
Flash point: Flammability (solid, gas):	110°C (230°F) No data available	Autoignition tempe Flammability or ex Lower:		No data available lable
		Upper:	No data avail	lable

Solubility(ies): Water: Insoluble

#### 10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Not Available. Air sensitive. Light sensitive. Moisture sensitive.

#### **TCI AMERICA**

10. STABILITY AND REACTIVITY
Possibility of Hazardous Reactions:

Conditions to avoid: Incompatible materials: Hazardous Decomposition Products: No hazardous reactivity has been reported.

Air sensitive. Exposure to air. Exposure to light. Exposure to moisture. Light sensitive. Moisture sensitive. Strong oxidizing agents No data available

## 11. TOXICOLOGICAL INFORMATION

Acute Toxicity: No data available						
Skin corrosion/irritation: No data available						
Serious eye damage/irritation: No data available						
<b>Respiratory or skin sensitization:</b> No data available						
Germ cell mutagenicity: No data available						
Carcinogenicity:						
No data available						
IARC: No data available	NTP:	No data available	OSHA:	No data available		
<b>Reproductive toxicity:</b> No data available						
blistering. Skin contact may result in rednes Potential Health Effects:	Symptoms related to exposure: Overexposure may result in serious illness or death. Skin contact may result in inflammation; characterized by itching, scaling, reddening, or occasionally blistering. Skin contact may result in redness, pain or dry skin. Eye contact may result in redness or pain. Potential Health Effects: Skin and eye contact may result in irritation.					
12. ECOLOGICAL INFORMATION						
Ecotoxicity Fish: Crustacea: Algae:	No data available No data available No data available					
Persistence and degradability: Bioaccumulative potential (BCF): Mobillity in soil: Partition coefficient: n-octanol/water (log Pow) Soil adsorption (Koc): Henry's Law: constant (PaM <sup>3</sup> /mol)	No data available No data available No data available No data available No data available No data available					
<b>13. DISPOSAL CONSIDERATIONS</b> Disposal of product:	rules and regulatio chemical incinerate assistance but doe	ons. You may be able to diss or equipped with an afterbur as not replace these laws, no	olve or mix material wit mer and scrubber syste or does compliance in a	mply with Federal, State and Local h a combustible solvent and burn in a m. This section is intended to provide accordance with this section ensure		
				entification and Listing of Hazardous		

Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil. Dispose of as unused product. Do not re-use empty containers.

**Disposal of container:** Other considerations:

Observe all federal, state and local regulations when disposing of the substance.

# 14. TRANSPORT INFORMATION

DOT (US)	Non-hazardous for transportation.
	Non-hazardous for transportation.
IMDG	Non-hazardous for transportation.

### 15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.): This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

#### **US Federal Regulations**

CERCLA Hazardo SARA 313: SARA 302:		nd Reportable Quantity: Not Listed Not Listed		
State Regulations	_			
State Right-to-Kno	w			
Massachus New Jerse Pennsylva California Proposi	y nia	Not Listed Not Listed Not Listed Not Listed		
Other Information				
NFPA Rating:		HMI	S Classification:	
Health: Flammability: Instability:	0 1 0		Health: Flammability: Physical:	0 1 0
International Inve	ntories			
WHMIS hazard class: EC-No:		D2A: Materials causing othe D2B: Materials causing othe 210-335-6	,	. ,

# 16. OTHER INFORMATION

#### Revision date: 10/06/2014

#### **Revision number: 2**

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.