

Revision number: 3 Revision date: 10/06/2014

1. IDENTIFICATION

Product name: Product code: Cobalt Naphthenate N0338

For laboratory research purposes.

Not for drug or household use.

Product use: Restrictions on use:

Company:

TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:

Eye Damage/Irritation [Category 2B] Sensitization - Skin [Category 1] Carcinogenicity [Category 2] Flammable Solids [Category 2]

Signal word:

Hazard Statement(s):

Causes eye irritation Flammable solid

May cause an allergic skin reaction Suspected of causing cancer

Warning!

Pictogram(s) or Symbol(s):



| Precautionary Statement(s): [Prevention] | Wash hands and face thoroughly after handling. Avoid breathing dusts or mists. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection. Keep away from heat, sparks, open flames or other hot surfaces No smoking. Ground or bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting, and equipment. Wear protective gloves, eye protection and face |
|---|---|
| [Response] | protection. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse. If exposed or concerned: Get medical advice or attention. In case of fire: Use dry chemical, CO2, sand, earth, water spray or regular foam to extinguish. |
| [Storage] [Disposal] | Store locked up. Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13) |

Hazards not otherwise classified: [HNOC] May be harmful if swallowed.

Emergency telephone number:

TCI AMERICA

SAFETY DATA SHEET

Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) **Responsible department:** TCI America Environmental Health Safety and Security +1- 503-286-7624 **TCI AMERICA**

2. HAZARD(S) IDENTIFICATION

| Substance/Mixture: Components: | Substance Cobalt Naphthenate |
|---|---|
| Percent: | |
| CAS Number: | 61789-51-3 |
| Chemical Formula: Synonyms: | Naphthenic Acid Cobalt Salt |
| synonyms. | |
| 4. FIRST-AID MEASURES | |
| Inhalation: | May cause coughing, difficult breathing and nausea. Call emergency medical service. Effects of exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. |
| Skin contact: | Call a poison center or doctor if you feel unwell. Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. |
| Eye contact: | IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. |
| Ingestion: | Do not induce vomiting with out medical advice. Effects of exposure (ingestion) to substance may be delayed. If swallowed, seek medical advice immediately and show the container or label. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. |
| Symptoms/effects: | |
| Acute: Delayed: | Redness. May cause skin sensitization. Possibly carcinogenic to humans. |
| mmediate medical attention: | CAUTION: Victim may be a source of contamination. If breathing has stopped, perform artificial respiration Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. |
| 5. FIRE-FIGHTING MEASURES | |
| Suitable extinguishing media: | Dry chemical, CO ₂ , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations. |
| Specific hazards arising from the cher Hazardous combustion products: Dther specific hazards: | nical None Closed containers may explode from heat of a fire. |
| | ht streams. Dike fire-control water for later disposal; do not scatter the material. May re-ignite after fire is e fire or explosion hazard. Containers may explode when heated. Move containers from fire area if you can do i |

Special protective equipment for fire-fighters: Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

6. ACCIDENTAL RELEASE MEASURES Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Use sparkproof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged

| | proof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. |
|--------------------------------|--|
| Personal protective equipment: | Wear eye protection (splash goggles) and face protection (full length face shield). Wear protective clothing (chemical resistant suit and chemical resistant boots). Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile). |
| Emergency procedures: | Prevent dust cloud. Do not clean-up or dispose except under supervision of a specialist. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in the immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed. |

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material.

Environmental precautions:

Keep away from living quarters. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

| 7. HANDLING AND STORAGE | |
|--------------------------------|---|
| Precautions for safe handling: | Avoid inhalation of vapor or mist. Manipulate under an adequate fume hood. Avoid contact with skin and eyes. Avoid exposure - obtain special instructions before use. Avoid prolonged or repeated exposure. Normal measures for preventive fire protection. Avoid mechanical shock and friction. Avoid formation of dust and aerosols. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition. |
| Conditions for safe storage: | Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition. Store and use away from heat, sparks, open flame, or any other ignition source. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. |
| Storage incompatibilities: | Store away from oxidizing agents |

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

No data available

Appropriate engineering controls:

Handle only in a fully enclosed system and equipment. Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

| Personal protective equipment | |
|-------------------------------|--|
| Respiratory protection: | Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. |
| Hand protection: | Wear protective gloves. |
| Eye protection: | Safety glasses. |
| Skin and body protection: | Wear protective clothing (chemical resistant suit and chemical resistant boots). |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical state (20°C): | Solid |
|------------------------|-------------------|
| Form: | Crystal - Lump |
| Color: | Purple - Black |
| Odor: | No data available |
| Odor threshold: | No data available |

Cobalt Naphthenate

TCI AMERICA

| 2 | DUVCICAL | | CUENICAL | DDODEDTICO |
|----|----------|-----|-----------------|------------|
| 9. | PHISICAL | AND | CHENNICAL | PROPERTIES |

| Melting point/freezing point: | 140°C (284°F) | pH: | No data available |
|---|-------------------|--|----------------------|
| Boiling point/range: | No data available | Vapor pressure: | No data available |
| Decomposition temperature: | No data available | Vapor density: | No data available |
| Relative density: | No data available | Dynamic Viscosity: | No data available |
| Kinematic Viscosity: | No data available | | |
| Partition coefficient: n-octanol/water (log Pow) | No data available | Evaporation rate: (Butyl Acetate = 1) | No data available |
| Flash point: | No data available | Autoignition temper | ature: 276°C (529°F) |
| Flammability (solid, gas): | No data available | Flammability or exp | . , |
| | | Lower: | No data available |
| | | Upper: | No data available |
| Solubility(ies): | | | |

Water: Insoluble Soluble: Ether, Alcohols

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of Hazardous Reactions: Conditions to avoid: Incompatible materials: Hazardous Decomposition Products: Not Available. Stable under recommended storage conditions. (See Section 7) No hazardous reactivity has been reported. Avoid excessive heat and light. Oxidizing agents No data available

11. TOXICOLOGICAL INFORMATION

RTECS Number: QK8925000

Acute Toxicity: orl-rat LD50:3900 mg/kg

Skin corrosion/irritation: No data available

Serious eye damage/irritation: eye-rbt 10 mg/24H MLD

Respiratory or skin sensitization: No data available

Germ cell mutagenicity: No data available

Carcinogenicity:

No data available

IARC: Group 2B (Possibly carcinogenic to humans) .

Reproductive toxicity: No data available

 Routes of Exposure:
 Inhalation, Eye contact, Ingestion, Skin contact.

 Symptoms related to exposure:
 Eye contact may result in redness or pain. Skin contact may result in sensitization. Readily absorbed through skin. Overexposure may result in serious illness or death.

 Potential Health Effects:
 May be harmful if inhaled or ingested. Overexposure may result in serious illness or death.

 Target organ(s):
 No data available

No data available

OSHA:

No data available

NTP:

12. ECOLOGICAL INFORMATION

TCI AMERICA

| | CAL INFORMATION | | | | | |
|-----------------------------------|--------------------|--|--|----------------|--|--|
| Ecotoxicity | | | | | | |
| Fish: | | No data availabl | - | | | |
| Crustace | a: | No data availabl | | | | |
| Algae: | | No data availabl | e | | | |
| Persistence and | | No data availabl | | | | |
| | e potential (BCF): | No data availabl | | | | |
| Mobillity in soil: | | No data availabl | | | | |
| Partition coeffici | | No data availabl | e | | | |
| n-octanol/water | | No doto ovoilabi | | | | |
| Soil adsorption (Henry's Law: | (NOC): | No data availabl No data availabl | | | | |
| constant (PaM ³ /r | nol) | NO Gala availabl | 6 | | | |
| · | , | | | | | |
| | | | | | | |
| | CONSIDERATIONS | | | | | |
| Disposal of product: | | Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local | | | | |
| | | | rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide | | | |
| | | | | | | |
| | | assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous | | | | |
| | | Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, | | | | |
| | | | water ways, or the soil. | | | |
| Disposal of cont | ainer: | Dispose of as unused product. Do not re-use empty containers. | | | | |
| Other consideration | tions: | Observe all federal, state and local regulations when disposing of the substance. | | | | |
| | | | | | | |
| 14. TRANSPO | RT INFORMATION | | | | | |
| DOT (US) | | | | | | |
| UN number: | Proper Shipping N | lame: | Class or Division: | Packing Group: | | |
| UN2001 | Cobalt naphthenate | | 4.1 Flammable solid | | | |
| | • | | | | | |
| ΙΑΤΑ | | | | | | |
| UN number: | Proper Shipping N | | Class or Division: | Packing Group: | | |
| UN2001 | Cobalt naphthenate | es, powder | 4.1 Flammable solid | III | | |
| IMDG | | | | | | |
| UN number: | Proper Shipping N | Name: | Class or Division: | Packing Group: | | |
| UN2001 | Cobalt naphthenate | | 4.1 Flammable solid | | | |
| | | · • | | | | |

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.): This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

F-A, S-I

US Federal Regulations

EmS number:

| CERCLA Hazardous substance | and Reportable Quantity: |
|-----------------------------------|--------------------------|
| SARA 313: | Not Listed |
| SARA 302: | Not Listed |
| | |

State Regulations

State Right-to-Know

| Massachusetts | Not Listed |
|----------------------------|------------|
| New Jersey | Not Listed |
| Pennsylvania | Not Listed |
| California Proposition 65: | Not Listed |

Other Information

TCI AMERICA

| Page | 6 | of | 6 |
|------|---|----|---|
|------|---|----|---|

| FPA Rating: | HMIS Classification: | | |
|--------------------------|---|---|--|
| Health: 0 | Health: | 2 | |
| Flammability: 2 | Flammability: | 2 | |
| Instability: 0 | Physical: | 0 | |
| nternational Inventories | | | |
| /HMIS hazard class: | B4: Flammable Solid. D2B: Materials causing other toxic effects. (Toxic) | | |
| C-No: | 263-064-0 | | |

Revision date: 10/06/2014

Revision number: 3

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.