

Revision number: 2 Revision date: 10/06/2014

1. IDENTIFICATION

Product name: Product code: Methoxyacetic Acid M0827

For laboratory research purposes.

Not for drug or household use.

TCI AMERICA

SAFETY DATA SHEET

Emergency telephone number:

Transportation Emergencies:

+1-703-527-3887 (International) Responsible department:

Environmental Health Safety and Security

TCI America (8:00am - 5:00pm) PST

Chemical Emergencies:

+1-503-286-7624

Chemtrec 24-Hour +1-800-424-9300 (U.S.A.)

TCI America

+1-503-286-7624

Product use: Restrictions on use:

Company:

CI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Oral [Category 4] Eye Damage/Irritation [Category 1] Toxic to Reproduction [Category 1B] Specific Target Organ Toxicity (Single Exposure) [Category 2] Corrosive to Metals [Category 1] Skin Corrosion/Irritation [Category 1B] Signal word: Danger! Hazard Statement(s): Causes serious eye damage Causes severe skin burns and eye damage Harmful if swallowed May be corrosive to metals May damage fertility or the unborn child May cause damage to organs: Central Nervous System Pictogram(s) or Symbol(s): Precautionary Statement(s): [Prevention] Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Do not breathe dusts or mists. Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, eye protection and face protection. Wear eye protection. Wear face protection (full length face shield). Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe fume, mist, vapors or spray. Wash all exposed skin thoroughly after handling. Keep only in original container. [Response] If swallowed: Immediately call a poison center or doctor. Rinse mouth. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed: Call a poison center or doctor. If exposed or concerned: Call a poison center or doctor. Absorb spillage to

prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

2. HAZARD(S) IDENTIFICATION

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components: Percent: CAS Number: Molecular Weight: Chemical Formula: 4. FIRST-AID MEASURES	Substance Methoxyacetic Acid >96.0%(T) 625-45-6 90.08 $C_3H_6O_3$
+. TINGT AID IIIEAGGNEG	
Inhalation:	Immediately call a poison center or doctor. Effects of exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Skin contact:	For severe burns, immediate medical attention is required. Immediately call a poison center or doctor. Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye contact:	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Eye contact with vapors or substance may cause severe injury, burns, or death. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	Harmful if swallowed. Do not induce vomiting with out medical advice. Effects of exposure (ingestion) to substance may be delayed. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	Pain. Redness. No data available
Immediate medical attention:	WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is harmful. WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is corrosive. CAUTION: Victim may be a source of contamination. For severe burns, immediate medical attention is required. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media:	Dry chemical, CO_2 or water spray. Consult with local fire authorities before attempting large scale fire fighting operations.
Specific hazards arising from the chemic Hazardous combustion products: Other specific hazards:	al These products include: Carbon oxides Closed containers may explode from heat of a fire.

Special precautions for fire-fighters: Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

5. FIRE-FIGHTING MEASURES

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Wear protective clothing (chemical resistant suit and chemical resistant boots). Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Do not clean-up or dispose except under supervision of a specialist. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Ventilate the area. **Environmental precautions:**

Keep away from living quarters. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE Precautions for safe handling: Do NOT breath gas, fumes, vapor, or spray. Manipulate under an adequate fume hood. Do not ingest. Avoid contact with skin and eyes. Avoid contact - obtain special instructions before use. Avoid prolonged or repeated exposure. Normal measures for preventive fire protection. May corrode metallic surfaces. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition. Conditions for safe storage: Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Store in corrosive resistant container with a resistant inner liner. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Storage incompatibilities: Bases, Combustible substances, Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits: No data available

Appropriate engineering controls:

Handle only in a fully enclosed system and equipment. Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment	
Respiratory protection:	Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Wear protective gloves.
Eye protection:	Splash goggles.
Skin and body protection:	Wear protective clothing (chemical resistant suit and chemical resistant boots).

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Liquid
Form:	Clear
Color:	Colorless - Slightly pale yellow
Odor:	No data available
Odor threshold:	No data available

Methoxyacetic Acid

TCI AMERICA

Page 4 of 6

9. PHYSICAL AND CH		RTIFS			
Melting point/freezing point/freezin		available	pH:		No data available
Boiling point/range:	204°C (3		Vapor pressure:		No data available
Decomposition tempera	`	,	Vapor density:		No data available
Relative density:	1.18		Dynamic Viscosi		No data available
Kinematic Viscosity:	No data	available	Dynamic Viscosi	ity.	
•					
Partition coefficient: n-octanol/water (log Pow	No data :	available	Evaporation rate (Butyl Acetate = 1		No data available
Flash point: Flammability (solid, gas	125°C (2): No data		Autoignition tem Flammability or e Lower:	explosive limits:	No data available Ile
			Upper:	No data availab	le
Solubility(ies):					
10. STABILITY AND F	REACTIVITY				
Reactivity: Chemical Stability: Possibility of Hazardous Conditions to avoid: Incompatible materials: Hazardous Decompositi	s Reactions: N A A	lo hazardous rea lvoid excessive h	mmended storage conditions. activity has been reported. heat and light. isture, Oxidizing agents	(See Section 7)	
11. TOXICOLOGICAL	INFORMATION				
RTECS Number: AI8650	000				
Acute Toxicity: orl-rat LDLo:2000 mg/kg					
Skin corrosion/irritation No data available	:				
Serious eye damage/irri No data available	tation:				
Respiratory or skin sens No data available	sitization:				
Germ cell mutagenicity: No data available					
Carcinogenicity:					
No data available					
IARC: No data av	ailable	NTP:	No data available	OSHA:	No data available
Reproductive toxicity: No data available					
scaling, reddening, or occ Potential Health Effects:	posure: in serious illness or d asionally blistering. E railable; skin and eye	leath. Skin conta ye contact can re contact may rest	ontact, Ingestion, Skin contact. ct may produce burrns. Skin co esult in corneal damage or blind ult in irriatation. May be harmfu	dness.	nflammation; characterized by itching, ed.
12. ECOLOGICAL INF	ORMATION				

Ecotoxicity Fish:

No data available

TCI AMERICA

Crustacea: No data available Algae: No data available viscacurulative potential (BCF): No data available Iobacurulative potential (BCF): No data available Iobacurulative potential (BCF): No data available artition coefficient: No data available ortano/Water (log P _{sw}) No data available oil adsorption (Koc): No data available enry's Law: No data available onstant (PaM/mot) No data available Bisposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in chemical incinerator equipped with an afterbumer and scrubber system. This section is intended to provid assistance but does not replace these laws, nor does compliance in accordance with this section is intended to provid assistance but does not replace these laws, nor does compliance in accordance with this section is intended to provid assistance but does not replace these laws, nor does compliance in accordance with diazardous Waster are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains water ways, or the sol. Hisposal of container: Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance. OT (US) R Corros	12. ECOLOGIC	AL INFORMATION			
ersistence and degradability: No data available biobility in soli: No data available indecumulative potential (BCF): No data available indiadeorption (Koc): No data available o-ctanol/water (log P _m) oil adsorption (Koc): No data available enry's Law: No data available insposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal. State and Local rules and regulations. You may be able to disolve or mix material with a combustible solvent and burn in chemical inclinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this kedion ensure regulatory compliance according to the law. USE PA guidelines for identification and Lusing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains water ways, or the soil. Itsposal of container: Dispose of as unused product. Do not re-use empty containers. Ustate are listed in deferral, state and local regulations when disposing of the substance. 4. TRANSPORT INFORMATION Not (US) Naturber: Proper Shipping Name: Class or Division: Packing Group: IN3285 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II Number: Proper Shipping Name: Class or Division: Packing Group: IN3285 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II MDG Number: Proper Shipping Name: Class or Division: Packing Group: IN3285 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II mS number: FA, S-B 5. REGULATORY INFORMATION			No data available		
Lioaccumulative polential (BCF): No data available holdilly in solid available artition coefficient: No data available artition coefficient: No data available holdilly in solid accordinable depry (s Law: No data available holdilly in solid accordinable depry (s Law: No data available holdilly in solid according to the solid available holdilly in solid according to the solid according to the solid available holdilly in solid according to the solid product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local incherator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous. Waste are listed in 40 CCR Parts 261. The product should not be allowed to enter the environment, drains water ways, or the soil. Hisposal of container: Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance. A. TRANSPORT INFORMATION OT (US) Number: Proper Shipping Name: Class or Division: Packing Group: N3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II In number: Proper Shipping Name: Class or Division: Packing Group: N3265 Norosive liquid, acidic, organic, n.o.s. 8 Corrosive material II Image: Proper Shipping Name: Class or Division: Packing Group: N3265 Naude: Proper Shipping Name: Corrosive induction: B Corrosive material II In number: F-A, S-B 5. REGULATORY INFORMATION	Algae:		No data available		
tobility in soil: No data available antition coefficient: No data available octanol/water (log Pw) No data available oil adsorption (Koc): No data available orstant (PaMP/mol) No data available 3. DISPOSAL CONSIDERATIONS Recycle to process if possible. It is the generator's responsibility to comply with Federal. State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in chemical incinerator equipped with an attroburger and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains water ways, or the soil. Hisposal of container: Dispose of as unused product. Do not re-use empty containers. there considerations: Observe all federal, state and local regulations when disposing of the substance. 4. TRANSPORT INFORMATION 8 Corrosive material II Namber: Proper Shipping Name: Class or Division: Packing Group: N3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II MDS Number: Proper Shipping Name: Class or Division: Packing Group:	Persistence and	degradability:	No data available		
artition coefficient: No data available ootcano/water (log Pew) enry's Law: No data available istrong of the strong of the st	Bioaccumulative	potential (BCF):	No data available		
-octanol/water (log Pen) oil adsorption (Koc): lenry's Law: onstant (PaW+/mol) No data available No data available 3. DISPOSAL CONSIDERATIONS isposal of product: rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provid assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains water ways, or the soil. Isposal of container: Isposal of container: Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance. 4. TRANSPORT INFORMATION Number: Naze5 Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. Class or Division: 8 Corrosive material II Packing Group: IN 2007 (US) Number: Naze5 NTA Naze5 Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. Class or Division: 8 Corrosive material II Packing Group: II MDG Ninumber: Naze5 Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. Class or Division: 8 Corrosive material II Packing Group: II MDG Ninumber: Naze5 F-A, S-B S S Packing Group: II II	Nobillity in soil:				
oil adsorption (Koc): No data available No data available No data available onstant (PaM ¹ /mol) No data available 3. DISPOSAL CONSIDERATIONS Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local isposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local isposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local isposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local isposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local water ways, or the soil. No tata available water ways, or the soil. U does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains water ways, or the soil. itsposal of container: Dispose of as unused product. Do not re-use empty containers. Ubserve all federal, state and local regulations when disposing of the substance. vot (US) Roronsive inquid, acidic, organic, n.o.s. 8 Corrosive material <			No data available		
anny's Law: No data available onstant (PaMP/mol) 3. DISPOSAL CONSIDERATIONS isposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal. State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in chemical incinerator equipped with an afterburne or mix material with a combustible solvent and burn in chemical incinerator equipped with an afterburne or mix material with a combustible solvent and burn in chemical incinerator equipped with an afterburne or mix material with a section is intended to provide wassistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous. Waste are itseld in 40 CFR Parts 281. The product should not be allowed to enter the environment, drains water ways, or the sol. bisposed of container: Dispose of as unused product. Do not re-use empty containers. ther considerations: Observe all federal, state and local regulations when disposing of the substance. 4. TRANSPORT INFORMATION Image: Class or Division: Packing Group: Naze55 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II MDG MDG Image: Class or Division: Packing Group: Naze55 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II MDG Image: Class or Division: <t< th=""><th></th><th></th><th>NI I A 11 I I I I</th><th></th><th></th></t<>			N I I A 11 I I I I		
3. DISPOSAL CONSIDERATIONS isposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance in accordance with easily containers. Observe all federal, state and local regulations when disposing of the substance. 4. TRANSPORT INFORMATION Elses or Division: Packing Group: N3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II MDG Informaber: Fraper Shipping Name: Class or Division: Packing Grou		Koc):			
Isisposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in themical incinerator equipped with an afterburner and scrubber system. This section is intended to provid assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains water ways, or the soil. Isposal of container: Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance. 4. TRANSPORT INFORMATION OT (US) Proper Shipping Name: Class or Division: Packing Group: N3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II MDG III Class or Division: Packing Group: N3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II MDG III Class or Division: Packing Group: N3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II MDG III MDG III MDS F-A, S-B St. REGULATORY INFORMATION		nol)	no data avallable		
rules and régulations. You may be able în dissolve or mix material with a combustible solvent and burn in chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provid assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains water ways, or the soil. Disposal of container: Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance. 4. TRANSPORT INFORMATION NOT (US) IN number: Proper Shipping Name: Class or Division: Packing Group: IN 265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II IN number: Proper Shipping Name: Class or Division: Packing Group: IN 3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II INS 1005 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II IN 1005 Froper Shipping Name: Class or Division: Packing Group: IN 3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II MDG In number: F					
Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance. 4. TRANSPORT INFORMATION OT (US) IN number: IN3265 Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. Class or Division: 8 Corrosive material Packing Group: II ATA IN number: IN3265 Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. Class or Division: 8 Corrosive material Packing Group: II MDG IN number: IN3265 Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. Class or Division: 8 Corrosive material Packing Group: II MDG IN number: IN3265 Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. Class or Division: 8 Corrosive material Packing Group: II MDG IN number: IN3265 Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. Class or Division: 8 Corrosive material Packing Group: II MDG IN number: F-A, S-B F-A, S-B F-A, S-B 5. REGULATORY INFORMATION F-A, S-B F-A, S-B	lisposal of prod	uct:	rules and regulation chemical incinerato assistance but doe regulatory complian Waste are listed in water ways, or the	ns. You may be able to dissol or equipped with an afterburne s not replace these laws, nor nce according to the law. US 40 CFR Parts 261. The prod soil.	ve or mix material with a combustible solvent and burn in a er and scrubber system. This section is intended to provide does compliance in accordance with this section ensure EPA guidelines for Identification and Listing of Hazardous act should not be allowed to enter the environment, drains,
Atter considerations: Observe all federal, state and local regulations when disposing of the substance. 4. TRANSPORT INFORMATION OT (US) IN number: Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. Class or Division: 8 Corrosive material Packing Group: II ATA INS number: Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. Class or Division: 8 Corrosive material Packing Group: II MDG IN number: Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. Class or Division: 8 Corrosive material Packing Group: II MDG IN number: Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. Class or Division: 8 Corrosive material Packing Group: II MDG IN number: F-A, S-B F-A, S-B F-A, S-B 5. REGULATORY INFORMATION F-A, S-B	isposal of conta	ainer:			npty containers.
OT (US) Proper Shipping Name: Class or Division: Packing Group: IN3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II ATA Proper Shipping Name: Class or Division: Packing Group: IN3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II MDG Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II MDG Proper Shipping Name: Class or Division: Packing Group: IN3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II MDG Proper Shipping Name: Class or Division: Packing Group: IN3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II INS265 F-A, S-B 5. REGULATORY INFORMATION II					
N number: Proper Shipping Name: Class or Division: Packing Group: IN number: Proper Shipping Name: 8 Corrosive material II ATA In number: Proper Shipping Name: Class or Division: 8 Corrosive material IN number: Proper Shipping Name: Class or Division: 8 Corrosive material II MDG Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II MDG Proper Shipping Name: Class or Division: 8 Corrosive material IN number: Proper Shipping Name: Class or Division: 8 Corrosive material IN number: Proper Shipping Name: Class or Division: 8 Corrosive material IN number: Proper Shipping Name: 8 Corrosive material II IN3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II ImS number: F-A, S-B 5. REGULATORY INFORMATION F-A, S-B	14. TRANSPOF	RT INFORMATION			
IN3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II ATA IN number: Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. Class or Division: 8 Corrosive material Packing Group: II MDG IN number: Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. Class or Division: 8 Corrosive material Packing Group: II IN3265 Corrosive liquid, acidic, organic, n.o.s. Class or Division: 8 Corrosive material Packing Group: II IN3265 Froper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. Class or Division: 8 Corrosive material Packing Group: II INS number: F-A, S-B '5. REGULATORY INFORMATION	DOT (US)	Drener Chinning	Mamai		Decking Crown
N number: Proper Shipping Name: Class or Division: Packing Group: IN3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II MDG IN number: Proper Shipping Name: Class or Division: Packing Group: IN3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II IN3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II IN3265 F-A, S-B 8 Corrosive material II 5. REGULATORY INFORMATION 5. REGULATORY INFORMATION 10	JN3265				
N number: Proper Shipping Name: Class or Division: Packing Group: IN3265 Corrosive liquid, acidic, organic, n.o.s. 8 Corrosive material II ImS number: F-A, S-B 5. REGULATORY INFORMATION	ATA JN number: JN3265				
mS number: F-A, S-B	MDG JN number: JN3265				
5. REGULATORY INFORMATION	EmS number:	. /	-		
	15. REGULATO	DRY INFORMATION			

Toxic Substance Control Act (TSCA 8b.): This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:		
SARA 313:	Not Listed	
SARA 302:	Not Listed	

State Regulations

State Right-to-Know

Massachusetts	Not Listed
New Jersey	Not Listed
Pennsylvania	Not Listed
California Proposition 65:	Not Listed

Other Information

NFPA Rating:

Health:	3	Health:	3
Flammability:	1	Flammability:	1
Instability:	0	Physical:	0

HMIS Classification:

15. REGULATORY INFORMAT	'ION
International Inventories	
WHMIS hazard class:	E: Corrosive material. D2A: Materials causing other toxic effects. (Very Toxic)
	D2B: Materials causing other toxic effects. (Toxic)
Canada: DSL	On DSL
EC-No:	210-894-6

16. OTHER INFORMATION

Revision date: 10/06/2014 Revision number: 2

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.