

Revision number: 3 Revision date: 10/17/2016

1. IDENTIFICATION

Product name: Product code: 2,5-Dimethylpyrrole D0260

For laboratory research purposes.

Not for drug or household use.

Product use: Restrictions on use:

Company:

TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:

Acute Toxicity - Oral [Category 3] Skin Corrosion/Irritation [Category 2] Eye Damage/Irritation [Category 2A] Flammable Liquids [Category 3]

Signal word:

Danger!

Hazard Statement(s):

Causes serious eye irritation Causes skin irritation Flammable liquid and vapor Toxic if swallowed

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention] Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Wear protective gloves. Wear eye and face protection. Keep away from heat, sparks, open flames or other hot surfaces. - No smoking. Keep container tightly closed. Ground or bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting, and equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves, eye protection and face protection. [Response] If swallowed: Immediately call a poison center or doctor. Rinse mouth. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish. Store locked up. Store in a well-ventilated place. Keep cool. [Storage] [Disposal] Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

Hazards not otherwise classified: [HNOC] May be harmful if in contact with skin.

Emergency telephone number:

TCI AMERICA

SAFETY DATA SHEET

Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) **Responsible department:** TCI America Environmental Health Safety and Security +1- 503-286-7624

2. HAZARD(S) IDENTIFICATION

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture:	Substance					
Components:	2,5-Dimethylpyrrole					
Percent:	>98.0%(GC)					
CAS Number:	625-84-3					
Molecular Weight:	95.15					
Chemical Formula:	C ₆ H ₉ N					
4. FIRST-AID MEASURES						
Inhalation:	Immediately call a poison center or doctor. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.					
Skin contact:	Immediately call a poison center or doctor. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.					
Eye contact:	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.					
Ingestion:	Toxic if swallowed. Do not induce vomiting with out medical advice. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.					
Symptoms/effects:						
Acute: Delayed:	Redness. No data available					
Immediate medical attention:	WARNING: It might be dangerous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is toxic. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.					
5. FIRE-FIGHTING MEASURES						
Suitable extinguishing media:	Dry chemical, CO ₂ or water spray. Consult with local fire authorities before attempting large scale fire fighting operations.					
Specific hazards arising from the chemic						
Hazardous combustion products: Other specific hazards:	These products include: Carbon oxides Nitrogen oxides Closed containers may explode from heat of a fire.					
have a very low flash point: Use of water sp explosion hazard. Containers may explode Special protective equipment for fire-figl Wear positive pressure self-contained brea	streams. Dike fire-control water for later disposal; do not scatter the material. CAUTION: All these products bray when fighting fire may be inefficient. Do not use straight streams. Runoff to sewer may create fire or when heated. Move containers from fire area if you can do it without risk. nters: thing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ons. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may					

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Use spark- proof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged
	containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Isolate area until gas has dispersed. In case of a spill and/or a leak, always shut off any sources of ignition ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material.

Environmental precautions:

Keep away from living quarters. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE				
Precautions for safe handling:	Do NOT breath gas, fumes, vapor, or spray. Do not ingest. Avoid contact with skin and eyes. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.			
Conditions for safe storage:	Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition. Store and use away from heat, sparks, open flame, or any other ignition source. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon).			
Storage incompatibilities:	Store away from oxidizing agents			

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

No data available

Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection:	Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Wear protective gloves.
Eye protection:	Splash goggles.
Skin and body protection:	Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):
Form:
Color:
Odor:
Odor threshold:

Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic Viscosity:

Partition coefficient: n-octanol/water (log Pow) Liquid Clear Colorless - Pale yellow No data available No data available

No data available 169°C (336°F) No data available 0.94 No data available

No data available

pH: Vapor pressure: Vapor density: Dynamic Viscosity:

Evaporation rate: (Butyl Acetate = 1) No data available No data available No data available No data available

No data available

9. PHYSICA	AL AND CHEMICAL	PROPERTIES			
Flash point:		54°C (129°F)	Autoignition temperatu	ure:	No data available
Flammability	(solid, gas): No data available Flammability or explosive limits:				
			Lower: N	lo data availa	ble
			Upper: N	lo data availa	ble
			oppon i		
Solubility(ies	,				
vva	ater: Insoluble				
10 STARI	ITY AND REACTIV				
TU. STABIL	ITT AND REACTIV	111			
–					
Reactivity: Chemical Sta	hilitur	Not Available. Air sensitive. Heat sensit	ivo		
	Hazardous Reaction		ble/explosive vapor-air mixture	۵	
Conditions to		Air sensitive. Exposure to		0.	
Incompatible		Strong acids, Strong oxid			
Hazardous D	ecomposition Produce	cts: No data available			
11. TOXICC	DLOGICAL INFORM	NATION			
RTECS Num	ber: UX9465930				
Acute Toxicit	tv:				
orl-rat LD50:5					
	3 3				
Skin corrosio	on/irritation:				
No data availa	able				
	damage/irritation:				
No data availa	adie				
D					
No data availa	or skin sensitization:				
NU Uala availa	able				
Germ cell mu	utagenicity:				
No data availa	able				
Carcinogenio	city:				
No data availa	able				
IARC:	No data available	NTP: No d	ata available	OSHA:	No data available
Reproductive	a toxicity:				
No data availa					
Routes of Ex		Inhalation, Eye contact, I	ngestion, Skin contact.		
	elated to exposure:				
					ning, scaling, reddening, or occasionally
0		n redness, pain or dry skin. Eye con	tact may result in redness or p	bain.	
Potential Hea		rritation. May be harmful if inhaled o	r indested. Overevosure ma	w result in se	rious illness or death
Target organ		No data available	ningested. Overexposure ma		
an get er gun	\-/·				
12. ECOLO	GICAL INFORMAT	ION			

Ecotoxicity Fish: No data available Crustacea: No data available Algae: No data available Persistence and degradability: Bioaccumulative potential (BCF): No data available No data available Mobillity in soil: Partition coefficient: No data available

n-octanol/water (log Pow)

Soil adsorption (Koc):

No data available

No data available

Page 5 of 6

Henry's Law: constant (PaM ³ /mol 13. DISPOSAL CO		No data available					
Henry's Law: constant (PaM ³ /mol 13. DISPOSAL CO		No data available					
	ONSIDERATIONS						
Disposal of product:		Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provid assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains water ways, or the soil.					
isposal of contain ther consideratior			ed product. Do not re-use er state and local regulations v	npty containers. when disposing of the substand	ce.		
4. TRANSPORT							
DOT (US) JN number: JN2929	Proper Shipping Nam Toxic liquids, flammable		Class or Division: 6.1 Toxic material.	Subrisk(s): 3 Flammable liquid	Packing Group: II		
ATA IN number: JN2929	Proper Shipping Nam Toxic liquid, flammable		Class or Division: 6.1 Toxic material.	Subrisk(s): 3 Flammable liquid	Packing Group:		
MDG IN number: IN2929	Proper Shipping Nam Toxic liquid, flammable		Class or Division: 6.1 Toxic material.	Subrisk(s): 3 Flammable liquid	Packing Group: II		
mS number:		F-E, S-D					
5. REGULATOR	Y INFORMATION						
This product is NOT products not on the ii i) These products a i0 CFR 720.0 et sec ii) The health risks c JS Federal Regulat	nventory list: ire supplied solely for use :. of these products have not	in research and dev	relopment by or under the se	ng notices are required by 40 C upervision of a technically qual or becomes available will be si	ified individual as defined ir		
SARA 313: SARA 302:	•	Not Listed Not Listed					
tate Regulations							
tate Right-to-Know		Not Listed					
Massachuse New Jersey Pennsylvani	a	Not Listed Not Listed Not Listed					
New Jersey	a	Not Listed Not Listed					

Health:	1	Health:
Flammability:	2	Flammability:
Instability:	0	Physical:

International Inventories

WHMIS hazard class:

B2: Flammable Liquid. D1B: Materials causing immediate and serious toxic effects. (Toxic) D2B: Materials causing other toxic effects. (Toxic) On NDSL

1

2

0

Canada: NDSL

15. REGULATORY INFORMATION

EC-No:

210-913-8

16. OTHER INFORMATION

Revision date: 10/17/2016

Revision number: 3

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective gogles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.