

Revision number: 3 Revision date: 08/18/2015

1. IDENTIFICATION

Titaniur	n(IV) Chloride (14%	in Dichloromethan	e, ca. 1.0mol/L)
T2052			

Emergency telephone number:

Transportation Emergencies:

+1-703-527-3887 (International)

Environmental Health Safety and Security

Responsible department:

TCI America (8:00am - 5:00pm) PST

Chemical Emergencies:

+1-503-286-7624

Chemtrec 24-Hour +1-800-424-9300 (U.S.A.)

+1-503-286-7624

TCI America

For laboratory research purposes.

Not for drug or household use.

TCI AMERICA

SAFETY DATA SHEET

Product use: Restrictions on use:

Product name: Product code:

Company:

TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

z. nazard(3) iden hfica hon		
OSHA Haz Com: CFR 1910.1200:	Acute Toxicity - Oral [Category 3] Eye Damage/Irritation [Category 1] Carcinogenicity [Category 2] Specific Target Organ Toxicity (Single Exposure) [Category 1] Specific Target Organ Toxicity (Single Exposure) [Category 3] Specific Target Organ Toxicity (Repeated Exposure) [Category 1] Aquatic Hazard (Acute) [Category 2] Aquatic Hazard (Long-Term) [Category 2] Skin Corrosion/Irritation [Category 1B]	
Signal word:	Danger!	
Hazard Statement(s):	Causes serious eye damage Causes severe skin burns and eye damage Suspected of causing cancer Toxic if swallowed Toxic to aquatic life Toxic to aquatic life with long lasting effects Causes damage to: Respiratory System Central Nervous System May cause drowsiness or dizziness. Causes damage to organs: Liver Central Nervous System through prolonged or repeated exposure.	

Pictogram(s) or Symbol(s):











Precautionary Statement(s): [Prevention]

Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Do not breathe dusts or mists. Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, eye protection and face protection. Wear eye protection. Wear face protection (full length face shield). Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe fume, mist, vapors or spray. Avoid breathing fume, mist, vapors or spray.

Hazards not otherwise classified: [HNOC] Lachrymator

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components: Percent: CAS Number: Molecular Weight: Chemical Formula: Synonyms:	Mixture Titanium(IV) Chloride (14% in Dichloromethane, ca. 1.0mol/L) 7550-45-0 189.67 TiCl ₄ Titanium Tetrachloride (14% in Dichloromethane, ca. 1.0mol/L)
4. FIRST-AID MEASURES	
Inhalation:	Immediately call a poison center or doctor. Effects of exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Skin contact:	For severe burns, immediate medical attention is required. Immediately call a poison center or doctor. Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye contact:	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Eye contact with vapors or substance may cause severe injury, burns, or death. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	Toxic if swallowed. Do not induce vomiting with out medical advice. Effects of exposure (ingestion) to substance may be delayed. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	Dizziness. Pain. Redness. Drowsiness. Possibly carcinogenic to humans.
Immediate medical attention:	WARNING: It might be dangerous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is toxic. WARNING: It might be hazardous to the person providing aid to give mouth- to-mouth respiration, because the inhaled material is corrosive. CAUTION: Victim may be a source of contamination. For severe burns, immediate medical attention is required. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	

Suitable extinguishing media:

Dry chemical, CO_2 or water spray. Consult with local fire authorities before attempting large scale fire fighting operations.

5. FIRE-FIGHTING MEASURES

Specific hazards arising from the chemical Hazardous combustion products:

These products include: Halogenated compounds Metallic oxides Other specific hazards: WARNING: Highly toxic HCl gas is produced during combustion.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Wear protective clothing (chemical resistant suit and chemical resistant boots). Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Do not clean-up or dispose except under supervision of a specialist. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. Ventilate the area.

Environmental precautions:

Keep away from living quarters. Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE	
Precautions for safe handling:	Do NOT breath gas, fumes, vapor, or spray. Manipulate under an adequate fume hood. Do not ingest. Avoid contact with skin and eyes. Avoid exposure - obtain special instructions before use. Avoid prolonged or repeated exposure. Normal measures for preventive fire protection. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.
Conditions for safe storage:	Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon). Moisture sensitive. Store in refrigerator.
Storage incompatibilities:	Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

No data available

Appropriate engineering controls:

Handle only in a fully enclosed system and equipment. Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment	
Respiratory protection:	Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Wear protective gloves.
Eye protection:	Splash goggles.
Skin and body protection:	Wear protective clothing (chemical resistant suit and chemical resistant boots).

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Liquid
Form:	Clear
Color:	Colorless - Reddish yellow

9. PHYSICAL AND CHEMICAL PROPERTIES

Odor:	Characteristic		
Odor threshold:	No data available		
Melting point/freezing point:	No data available	pH:	No data available
Boiling point/range:	No data available	Vapor pressure:	No data available
Decomposition temperature:	No data available	Vapor density:	No data available
Relative density:	1.37	Dynamic Viscosity:	No data available
Kinematic Viscosity:	No data available		
Partition coefficient: n-octanol/water (log Pow)	No data available	Evaporation rate: (Butyl Acetate = 1)	No data available
Flash point:	No data available	Autoignition temperature:	No data available
Flammability (solid, gas):	No data available	Flammability or explosive lim	its:
		Lower: No data	available
		Upper: No data	available

Solubility(ies):

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of Hazardous Reactions: Conditions to avoid: Incompatible materials: **Hazardous Decomposition Products:**

Not Available. Heat sensitive. Moisture sensitive. No hazardous reactivity has been reported. Exposure to moisture. Heat sensitive. Moisture sensitive. Oxidizing agents No data available

11. TOXICOLOGICAL INFORMATION

Acute Toxicity: No data available

Skin corrosion/irritation: No data available

Serious eye damage/irritation: No data available

Respiratory or skin sensitization: No data available

Germ cell mutagenicity: No data available

Carcinogenicity:

No data available

IARC: No data available NTP:

No data available

OSHA: No data available

Reproductive toxicity: No data available

Routes of Exposure:

Inhalation, Eye contact, Ingestion, Skin contact.

Symptoms related to exposure:

Overexposure may result in serious illness or death. Skin contact may produce burrns. Skin contact may result in inflammation; characterized by itching, scaling, reddening, or occasionally blistering. Eye contact can result in corneal damage or blindness. Inhalation causes irritation of the lungs and respiratory system. Inflammation of the eye is characterized by redness, watering, and itching.

Potential Health Effects:

Inhalation causes irritation of the lungs and respiratory system.

Target organ(s):

Causes damage to: Respiratory System Central Nervous System

May cause drowsiness or dizziness.

Causes damage to organs: Liver Central Nervous System through prolonged or repeated exposure.

12. ECOLOGICAL INFORMATION

Ecotoxicity Fish: Crustacea: Algae:		No data available No data available No data available			
Persistence and de Bioaccumulative po Mobillity in soil: Partition coefficient n-octanol/water (log Soil adsorption (Ko Henry's Law: constant (PaM ³ /mol	otential (BCF): t: g Pow) c):	No data available No data available No data available No data available No data available No data available			
13. DISPOSAL Co Disposal of produce Disposal of contain Other consideration	er:	rules and regulation chemical incinerator assistance but does regulatory complian Waste are listed in 4 water ways, or the s Dispose of as unuse	s. You may be able to disso r equipped with an afterburn on treplace these laws, nor ce according to the law. US 40 CFR Parts 261. The prod soil. ed product. Do not re-use en	r's responsibility to comply with lve or mix material with a combu er and scrubber system. This se does compliance in accordance EPA guidelines for Identificatior uct should not be allowed to ent npty containers. when disposing of the substance	ustible solvent and burn in a action is intended to provide with this section ensure and Listing of Hazardous are the environment, drains,
DOT (US) UN number: UN3289	Proper Shipping Na Toxic liquid, corrosive		Class or Division: 6.1 Toxic material.	Subrisk(s): 8 Corrosive material	Packing Group: II
IATAUN number:Proper Shipping Name:UN3289Toxic liquid, corrosive, inorganic, n.o.s.		Class or Division: 6.1 Toxic material.	Subrisk(s): 8 Corrosive material	Packing Group: II	
IMDG UN number: UN3289	Proper Shipping Na Toxic liquid, corrosive		Class or Division: 6.1 Toxic material.	Subrisk(s): 8 Corrosive material	Packing Group: II

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.): This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

F-A, S-B

US Federal Regulations

EmS number:

CERCLA Hazardous substance and Reportable Quantity:			
SARA 313: Listed			
SARA 302:	Not Listed		

State Regulations

State Right-to-Know

Massachusetts	Listed
New Jersey	Not Listed
Pennsylvania	Listed
California Proposition 65:	Not Listed

Other Information

15. REGULATO	RY INFORMATI	ON	
NFPA Rating:		HMIS Classification:	
Health:	4	Health:	4
Flammability:	0	Flammability:	0
Instability:	0	Physical:	2
International Inve	ntories		
WHMIS hazard cla	ass:	E: Corrosive material. D1B: Materials causing immediate and seriou D2B: Materials causing other toxic effects. (T	
Canada: DSL		On DSL)
EC-No:		231-441-9	
16. OTHER INF	ORMATION		

Revision date: 08/18/2015

Revision number: 3

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.