

Revision number: 2 Revision date: 10/06/2014

1. IDENTIFICATION

Product	name:
Product	code:

lodine 10604

For laboratory research purposes.

Not for drug or household use.

TCI AMERICA

SAFETY DATA SHEET

Emergency telephone number:

Transportation Emergencies:

+1-703-527-3887 (International)

Environmental Health Safety and Security

+1-800-424-9300 (U.S.A.)

Responsible department:

TCI America (8:00am - 5:00pm) PST

Chemical Emergencies:

+1-503-286-7624

Chemtrec 24-Hour

+1-503-286-7624

TCI America

Product use: Restrictions on use:

Company:

TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

Z. HAZARD(3) IDENTIFICATION	
OSHA Haz Com: CFR 1910.1200:	Acute Toxicity - Dermal [Category 4] Acute Toxicity - Inhalation [Category 4] Eye Damage/Irritation [Category 1] Sensitization - Skin [Category 1] Specific Target Organ Toxicity (Single Exposure) [Category 3] Specific Target Organ Toxicity (Repeated Exposure) [Category 1] Aquatic Hazard (Acute) [Category 1] Aquatic Hazard (Long-Term) [Category 1] Skin Corrosion/Irritation [Category 1B]
Signal word:	Danger!
Hazard Statement(s):	Causes serious eye damage Causes severe skin burns and eye damage Harmful in contact with skin Harmful if inhaled May cause an allergic skin reaction Very toxic to aquatic life Very toxic to aquatic life Very toxic to aquatic life with long lasting effects May cause respiratory irritation. Causes damage to organs: Thyroid Gland through prolonged or repeated exposure.

Pictogram(s) or Symbol(s):









Precautionary Statement(s): [Prevention]

Wear protective gloves and protective clothing. Avoid breathing dusts or mists. Use only outdoors or in a well-ventilated area. Do not breathe dusts or mists. Wear protective gloves, protective clothing, eye protection and face protection. Wear eye protection. Wear face protection (full length face shield). Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. Wash hands and face thoroughly after handling. Do not eat, drink or smoke when using this product.

2. HAZARD(S) IDENTIFICATION [Response] If on skin: Wash with plenty of water. Call a poison center or doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. Get medical advice or attention if you feel unwell. [Storage] Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components: Percent:	Substance lodine >98.0%(T)
CAS Number:	7553-56-2
Molecular Weight:	253.81
Chemical Formula:	l ₂

4. FIRST-AID MEASURES

Inhalation:	May cause coughing, difficult breathing and nausea. Immediately call a poison center or doctor. Effects of exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Skin contact:	For severe burns, immediate medical attention is required. Immediately call a poison center or doctor. Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye contact:	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Eye contact with vapors or substance may cause severe injury, burns, or death. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	Do not induce vomiting with out medical advice. Effects of exposure (ingestion) to substance may be delayed. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	Pain. Redness. May cause skin sensitization. May have effects on the respiratory tract.
Immediate medical attention:	WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is harmful. WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is corrosive. CAUTION: Victim may be a source of contamination. For severe burns, immediate medical attention is required. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	

Suitable extinguishing media:

Dry chemical, CO_2 or water spray. Consult with local fire authorities before attempting large scale fire fighting operations.

Specific hazards arising from the chemical

TCI AMERICA

5. FIRE-FIGHTING MEASURES

Hazardous combustion products:	These products include: Halogenated compounds
Other specific hazards:	Closed containers may explode from heat of a fire.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Wear protective clothing (chemical resistant suit and chemical resistant boots). Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Prevent dust cloud. Do not clean-up or dispose except under supervision of a specialist. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. Ventilate the area.

Environmental precautions:

Keep away from living quarters. Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE	
Precautions for safe handling:	Avoid inhalation of vapor or mist. Manipulate under an adequate fume hood. Avoid contact with skin. Avoid contact with skin and eyes. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.
Conditions for safe storage:	Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods.
Storage incompatibilities:	Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:	
ACGIH TLV (TWA):	0.01 ppm (IFV)
ACGIH TLV (STEL):	0.1 ppm (V)
OSHA PEL (CEIL):	0.1 ppm

Appropriate engineering controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection:	Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Nitrile gloves.
Eye protection:	Safety glasses.
Skin and body protection:	Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Solid
Form:	Crystal - Powder
Color:	Bluish grey - Black

9. PHYSICAL AND CHEMICAL PROPERTIES Odor: Pungent No data available Odor threshold: pH: Melting point/freezing point: 114°C (237°F) No data available 184°C (363°F) 0.04kPa/25°C **Boiling point/range:** Vapor pressure: No data available **Decomposition temperature:** Vapor density: 8.8 **Relative density:** No data available **Dynamic Viscosity:** No data available Kinematic Viscosity: No data available Partition coefficient: 2.49 No data available **Evaporation rate:** n-octanol/water (log Pow) (Butyl Acetate = 1) No data available No data available Flash point: Autoignition temperature: Flammability (solid, gas): No data available Flammability or explosive limits: Lower: No data available No data available Upper: Solubility(ies): Water: Insoluble (0.03g/100mL, 20°C) Soluble: Ether, Alcohols, Benzene, Chloroform, Many organic solvents 10. STABILITY AND REACTIVITY **Reactivity:** Not Available. **Chemical Stability:** Stable under recommended storage conditions. (See Section 7) Possibility of Hazardous Reactions: No hazardous reactivity has been reported. Conditions to avoid: Avoid excessive heat and light. Incompatible materials: Oxidizing agents Hazardous Decomposition Products: No data available 11. TOXICOLOGICAL INFORMATION RTECS Number: NN1575000 Acute Toxicity: ihl-hmn TCLo:1 mg/m³ ihl-rat LCLo:137 ppm/1H orl-hmn LDLo:28 mg/kg orl-rat LD50:14 g/kg orl-wmn TDLo:26 mg/kg/1Y-I Skin corrosion/irritation: No data available Serious eye damage/irritation: No data available Respiratory or skin sensitization: No data available Germ cell mutagenicity: No data available Carcinogenicity: No data available IARC: No data available NTP: No data available OSHA: No data available **Reproductive toxicity:** orl-rat TDLo:1100 mg/kg(1-22D preg)

Routes of Exposure:

Inhalation, Eye contact, Ingestion, Skin contact.

lodine

TCI AMERICA

Symptoms related to exposure:

Overexposure may result in serious illness or death. Skin contact may produce burrns. Skin contact may result in inflammation; characterized by itching, scaling, reddening, or occasionally blistering. Eye contact can result in corneal damage or blindness. Skin contact may result in sensitization. Readily absorbed through skin. Inhalation causes irritation of the lungs and respiratory system.

Potential Health Effects:

Inhalation causes irritation of the lungs and respiratory system. Target organ(s):

May cause respiratory irritation.

Causes damage to organs: Thyroid Gland through prolonged or repeated exposure.

12. ECOLOGICAL INFORMATION

Ecotoxicity Fish: Crustacea: Algae:	No data available No data available No data available
Persistence and degradability: Bioaccumulative potential (BCF): Mobillity in soil: Partition coefficient:	No data available No data available No data available 2.49
n-octanol/water (log P _{ow}) Soil adsorption (Koc): Henry's Law: constant (PaM ³ /mol)	No data available No data available

13. DISPOSAL CONSIDERAT	TONS
Disposal of product:	Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.
Disposal of container:	Dispose of as unused product. Do not re-use empty containers.
Other considerations:	Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

DOT (US) UN number: UN3495	Proper Shipping Name: lodine	Class or Division: 8 Corrosive material	Subrisk(s): 6.1 Toxic material.	Packing Group: III
ΙΑΤΑ	Non-hazardo	ous for transportation.		
UN number:	Proper Shipping Name:	Class or Division:	Subrisk(s):	Packing Group:
UN3495	lodine	8 Corrosive material	6.1 Toxic material.	
IMDG	Non-hazardo	ous for transportation.		
UN number:	Proper Shipping Name:	Class or Division:	Subrisk(s):	Packing Group:
UN3495	lodine	8 Corrosive material	6.1 Toxic material.	
EmS number:	F-A. S-B			
Ellis number.	I-A, J-D			

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.): This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:			
SARA 313:	Not Listed		
SARA 302:	Not Listed		

State Regulations

State Right-to-Know

TCI AMERICA

15. REGULATORY INFORMATI			
Massachusetts	Not Listed		
New Jersey	Not Listed		
Pennsylvania	Not Listed		
California Proposition 65:	Not Listed		
Other Information			
NFPA Rating:	HMIS Classification:		
Health: 3	Health:	3	
Flammability: 0	Flammability:	0	
Instability: 0	Physical:	0	
International Inventories			
WHMIS hazard class:	E: Corrosive material. D2A: Materials causing other toxic effects. (Very Toxic) D2B: Materials causing other toxic effects. (Toxic)		
Canada: DSL	On DSL		
EC-No:	231-442-4		

Revision date: 10/06/2014

Revision number: 2

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.