

Revision number: 3 Revision date: 08/18/2015

1. IDENTIFICATION

| Product | name: |
|---------|-------|
| Product | code: |

Zinc Chloride (16% in Ethyl Ether, ca. 1.0mol/L) Z0011

For laboratory research purposes.

Not for drug or household use.

TCI AMERICA

SAFETY DATA SHEET

Product use: Restrictions on use:

Company:

CI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

| Z. HAZARD(3) IDENTIFICATION | |
|------------------------------|---|
| OSHA Haz Com: CFR 1910.1200: | Acute Toxicity - Oral [Category 4] Acute Toxicity - Dermal [Category 4] Acute Toxicity - Inhalation [Category 4] Eye Damage/Irritation [Category 1] Germ Cell Mutagenicity [Category 2] Toxic to Reproduction [Category 2] Specific Target Organ Toxicity (Single Exposure) [Category 1] Specific Target Organ Toxicity (Single Exposure) [Category 3] Specific Target Organ Toxicity (Repeated Exposure) [Category 1] Flammable Liquids [Category 1] Aquatic Hazard (Acute) [Category 1] Aquatic Hazard (Long-Term) [Category 1] Skin Corrosion/Irritation [Category 1B] |
| Signal word: | Danger! |
| Hazard Statement(s): | Causes serious eye damage Causes severe skin burns and eye damage Extremely flammable liquid and vapor Harmful if swallowed Harmful in contact with skin Harmful if inhaled Suspected of causing genetic defects Suspected of damaging fertility or the unborn child Very toxic to aquatic life Very toxic to aquatic life Very toxic to aquatic life with long lasting effects Causes damage to: Liver Lung Pancreas May cause respiratory irritation. May cause drowsiness or dizziness. Causes damage to organs: Liver Lung through prolonged or repeated exposure. |

Pictogram(s) or Symbol(s):



Precautionary Statement(s):

Emergency telephone number:

Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) **Responsible department:** TCI America Environmental Health Safety and Security +1- 503-286-7624

| [Drovention] | Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. W |
|--------------|--|
| [Prevention] | |
| | protective gloves and protective clothing. Avoid breathing fume, mist, vapors or spray. Use only outdoo |
| | or in a well-ventilated area. Do not breathe dusts or mists. Wear protective gloves, protective clothing, |
| | protection and face protection. Wear eye protection. Wear face protection (full length face shield). Obta |
| | special instructions before use. Do not handle until all safety precautions have been read and understo |
| | Do not breathe fume, mist, vapors or spray. Keep away from heat, sparks, open flames or other hot |
| | surfaces No smoking. Keep container tightly closed. Ground or bond container and receiving equipm |
| | Use explosion-proof electrical, ventilating, lighting, and equipment. Use only non-sparking tools. Take |
| | precautionary measures against static discharge. Wear protective gloves, eye protection and face |
| | |
| | protection. |
| [Response] | If swallowed: Immediately call a poison center or doctor. Rinse mouth. If on skin: Wash with plenty of |
| | water. Call a poison center or doctor if you feel unwell. Take off contaminated clothing and wash it befor |
| | reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If swallowed: Rinse |
| | mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rir |
| | skin with water or shower. Wash contaminated clothing before reuse. Immediately call a poison center |
| | doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present ar |
| | easy to do. Continue rinsing. If exposed: Call a poison center or doctor. Get medical advice or attentior |
| | you feel unwell. In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extingu |
| [Storage] | Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated |
| [otorage] | place. Keep cool. |
| Dispessel | |
| [Disposal] | Dispose of contents and container in accordance with US EPA guidelines for the classification and |
| | determination of hazardous waste listed in 40 CFR 261.3. (See Section 13) |

Hazards not otherwise classified: [HNOC] May form explosive peroxides. May be harmful if swallowed and enters airways.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Delayed:

| Substance/Mixture: | Mixture |
|-----------------------|---|
| Components: | Zinc Chloride (16% in Ethyl Ether, ca. 1.0mol/L) |
| Percent: | |
| CAS Number: | 7646-85-7 |
| Molecular Weight: | 136.28 |
| Chemical Formula: | ZnCl ₂ |
| 4. FIRST-AID MEASURES | |
| Inhalation: | Immediately call a poison center or doctor. Effects of exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical |
| Skin contact: | personnel are aware of the material(s) involved and take precautions to protect themselves. For severe burns, immediate medical attention is required. Immediately call a poison center or doctor. Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. |
| Eye contact: | IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Eye contact with vapors or substance may cause severe injury, burns, or death. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. |
| Ingestion: | Harmful if swallowed. Do not induce vomiting with out medical advice. Effects of exposure (ingestion) to substance may be delayed. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. |
| Symptoms/effects: | |
| Acute: | Dizziness. Pain. Redness. Drowsiness. |
| | |

May cause heritable genetic damage in humans. May have effects on the respiratory tract.

| 4. FIRST-AID MEASURES | | |
|---|--|--|
| Immediate medical attention: | WARNING: It might be hazardous to the person providing aid to give mout the inhaled material is harmful. WARNING: It might be hazardous to the per mouth-to-mouth respiration, because the inhaled material is corrosive. CAL of contamination. For severe burns, immediate medical attention is require perform artificial respiration. Use first aid treatment according to the nature medical personnel are aware of the material(s) involved and take precaution | erson providing aid to give UTION: Victim may be a source d. If breathing has stopped, of the injury. Ensure that |
| 5. FIRE-FIGHTING MEASURES | | |
| Suitable extinguishing media: | Dry chemical, CO_2 or water spray. Consult with local fire authorities before fighting operations. | attempting large scale fire |
| Specific hazards arising from the che | | |
| Hazardous combustion products: Other specific hazards: | These products include: Halogenated compounds WARNING: Highly toxic HCI gas is produced during combustion. | |
| have a very low flash point: Use of wate | ght streams. Dike fire-control water for later disposal; do not scatter the material. In spray when fighting fire may be inefficient. Do not use straight streams. Runoff | |
| Special protective equipment for fire- Wear positive pressure self-contained be ONLY; it may not be effective in spill situ | ode when heated. Move containers from fire area if you can do it without risk. fighters: reathing apparatus (SCBA). Structural fire fighters' protective clothing provides lin uations. Wear chemical protective clothing which is specifically recommended by | mited protection in fire situations |
| Special protective equipment for fire- Wear positive pressure self-contained be ONLY; it may not be effective in spill situ provide little or no thermal protection. | fighters: reathing apparatus (SCBA). Structural fire fighters' protective clothing provides lin uations. Wear chemical protective clothing which is specifically recommended by | mited protection in fire situations |
| Special protective equipment for fire- Wear positive pressure self-contained be | fighters: reathing apparatus (SCBA). Structural fire fighters' protective clothing provides lin uations. Wear chemical protective clothing which is specifically recommended by | mited protection in fire situations the manufacturer. It may wind of spill/leak. Use spark- Do not touch damaged g (Section 8). Warn sk. Ensure adequate ventilation. |
| Special protective equipment for fire- Wear positive pressure self-contained bi ONLY; it may not be effective in spill situ provide little or no thermal protection. 6. ACCIDENTAL RELEASE MEAS | fighters: reathing apparatus (SCBA). Structural fire fighters' protective clothing provides linuations. Wear chemical protective clothing which is specifically recommended by SURES Avoid contact with skin, eyes, and clothing. Keep people away from and up proof tools and explosion-proof equipment. Remove all sources of ignition. containers or spilled material unless wearing appropriate protective clothing unnecessary personnel to move away. Stop leak if you can do it without ris | mited protection in fire situations the manufacturer. It may wind of spill/leak. Use spark- Do not touch damaged g (Section 8). Warn sk. Ensure adequate ventilation. ersonnel. shield). Wear protective clothing |

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. Environmental precautions:

Keep away from living quarters. Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

| Precautions for safe handling: | Do NOT breath gas, fumes, vapor, or spray. Manipulate under an adequate fume hood. Do not ingest. Avoid contact with skin and eyes. Avoid contact with skin. Avoid contact - obtain special instructions before |
|--------------------------------|--|
| | use. Avoid prolonged or repeated exposure. Normal measures for preventive fire protection. Keep away |
| | from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when |
| | handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep |
| | container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition. |
| Conditions for safe storage: | Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources or ignition. Store and use away from heat, sparks, open flame, or any other ignition source. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon). Hygroscopic material, store in a tightly sealed container. Store in refrigerator. |
| Storage incompatibilities: | Bases, Combustible substances, Store away from oxidizing agents |

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Appropriate engineering controls:

Handle only in a fully enclosed system and equipment. Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

| Personal protective equipment | |
|-------------------------------|--|
| Respiratory protection: | Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. |
| Hand protection: | Wear protective gloves. |
| Eye protection: | Splash goggles. |
| Skin and body protection: | Wear protective clothing (chemical resistant suit and chemical resistant boots). |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical state (20°C): Form: Color: Odor: Odor threshold: | Liquid Clear Colorless - Almost colorless Characteristic No data available | | |
|--|--|--|--|
| Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic Viscosity: | No data available No data available No data available 0.84 No data available | pH: Vapor pressure: Vapor density: Dynamic Viscosity: | No data available No data available No data available No data available |
| Partition coefficient: n-octanol/water (log Pow) | No data available | Evaporation rate: (Butyl Acetate = 1) | No data available |
| Flash point: Flammability (solid, gas): | -40°C (-40°F) No data available | Autoignition tempe Flammability or exp Lower: Upper: | |

Solubility(ies):

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of Hazardous Reactions: Conditions to avoid: Incompatible materials: Hazardous Decomposition Products: Not Available. Heat sensitive. In use, may form flammable/explosive vapor-air mixture. Heat sensitive. Oxidizing agents No data available

11. TOXICOLOGICAL INFORMATION

Acute Toxicity: No data available

Skin corrosion/irritation: No data available

Serious eye damage/irritation: No data available

Respiratory or skin sensitization: No data available

Germ cell mutagenicity: No data available

Carcinogenicity:

No data available

OSHA:

No data available

IARC: No data available

Reproductive toxicity:

No data available

Routes of Exposure:

Inhalation, Eye contact, Ingestion, Skin contact.

NTP:

Symptoms related to exposure: Overexposure may result in serious illness or death. Skin contact may produce burrns. Skin contact may result in inflammation; characterized by itching, scaling, reddening, or occasionally blistering. Eye contact can result in corneal damage or blindness. Inhalation causes irritation of the lungs and respiratory system.

No data available

Potential Health Effects:

Inhalation causes irritation of the lungs and respiratory system.

Aspiration hazard: May be harmful if swallowed and enters airways.

Target organ(s):

Causes damage to: Liver Lung Pancreas

May cause respiratory irritation. May cause drowsiness or dizziness.

Causes damage to organs: Liver Lung through prolonged or repeated exposure.

12. ECOLOGICAL INFORMATION

| Ecotoxicity Fish: Crustacea: Algae: | No data available No data available No data available |
|---|--|
| Persistence and degradability: Bioaccumulative potential (BCF): Mobillity in soil: Partition coefficient: n-octanol/water (log Pow) Soil adsorption (Koc): Henry's Law: constant (PaM ³ /mol) | No data available 58~116(conc.1 ppm), 103~178(conc.0.5 ppm), 72~149(conc.0.2 ppm), (230)~457(conc.0.05 ppm) No data available No data available No data available No data available |

| ERA | ERATION | IS | | | |
|--|-----------------------------------|--|---|--|---------------------|
| Disposal of product: Recycle to proce rules and regulat chemical inciner assistance but d regulatory compl Waste are listed water ways, or th | | ess if possible. It is the generator's responsibility to comply with Federal, State and Local tions. You may be able to dissolve or mix material with a combustible solvent and burn in a ator equipped with an afterburner and scrubber system. This section is intended to provide oes not replace these laws, nor does compliance in accordance with this section ensure liance according to the law. US EPA guidelines for Identification and Listing of Hazardous in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, he soil. | | | |
| | | | used product. Do not re-use er | npty containers. when disposing of the substanc | |
| | e r Shippin nable liqui | g Name: ds, corrosive, n.o.s. | Class or Division: 3 Flammable liquid | Subrisk(s): 8 Corrosive material | Packing Group: I |
| | er Shippin nable liqui | g Name: d, corrosive, n.o.s. | Class or Division: 3 Flammable liquid | Subrisk(s): 8 Corrosive material | Packing Group: I |
| | er Shippin nable liqui | g Name: d, corrosive, n.o.s. | Class or Division: 3 Flammable liquid | Subrisk(s): 8 Corrosive material | Packing Group: I |
| EmS number: F-E, S-C | | | | | |
| DRM | RMATIO | | | | |

Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

15. REGULATORY INFORMATION

US Federal Regulations

| CERCLA Hazardous substance and Reportable Quantity: | | | | |
|---|------------|--|--|--|
| SARA 313: | Listed | | | |
| SARA 302: | Not Listed | | | |
| | | | | |

State Regulations

State Right-to-Know

| Massachus New Jerse Pennsylva California Propos | y nia | Listed Not Listed Listed Not Listed | |
|--|----------|---|-----|
| Other Information | <u> </u> | | |
| NFPA Rating: | | HMIS Classification | on: |
| Health: | 3 | Health: | 3 |
| Flammability: | 0 | Flammability: | 0 |
| Instability: | 0 | Physical: | 0 |
| International Inve | ntories | | |
| WHMIS hazard class: EC-No: | | E: Corrosive material. D2A: Materials causing other toxic effects D2B: Materials causing other toxic effects 231-592-0 | |
| | | | |

16. OTHER INFORMATION

Revision date: 08/18/2015

Revision number: 3

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.