

Revision number: 4 Revision date: 08/18/2015

1. IDENTIFICATION

Product name: Product code: Cobalt(II) Chloride Hexahydrate C2388

Product use: Restrictions on use:

Company:

TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Oral [Category 4] Sensitization - Respiratory [Category 1] Sensitization - Skin [Category 1] Germ Cell Mutagenicity [Category 2] Carcinogenicity [Category 2] Toxic to Reproduction [Category 1B] Specific Target Organ Toxicity (Repeated Exposure) [Category 2] Aquatic Hazard (Acute) [Category 1] Aquatic Hazard (Long-Term) [Category 1] Signal word: Danger! Hazard Statement(s): Harmful if swallowed May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause an allergic skin reaction May damage fertility or the unborn child Suspected of causing cancer Suspected of causing genetic defects Very toxic to aquatic life Very toxic to aquatic life with long lasting effects May cause damage to organs: Respiratory System Bone Marrow Heart through prolonged or repeated

Pictogram(s) or Symbol(s):





exposure.

Precautionary Statement(s): [Prevention]

Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Avoid breathing dusts or mists. In case of inadequate ventilation wear respiratory protection. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection. Do not breathe dusts or mists.

aratary radarah purpaga

TCI AMERICA

SAFETY DATA SHEET

For laboratory research purposes. Not for drug or household use.

> Emergency telephone number: Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) Responsible department: TCI America Environmental Health Safety and Security +1- 503-286-7624

[Response]	If swallowed: Immediately call a poison center or doctor. Rinse mouth. If inhaled: If breathing is difficult,
	remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: C
	a poison center or doctor. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical
	advice/attention. Wash contaminated clothing before reuse. If exposed: Call a poison center or doctor. If
	exposed or concerned: Get medical advice or attention. Get medical advice or attention if you feel unwe
[Storage]	Store locked up.
[Disposal]	Dispose of contents and container in accordance with US EPA guidelines for the classification and
	determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components:	Substance Cobalt(II) Chloride Hexahydrate
Percent:	>98.0%(T)
CAS Number:	7791-13-1
Molecular Weight:	129.83(Anh)
Chemical Formula:	CoCl ₂ ·6H ₂ O
Molecular Weight:	129.83(Anh)

4. FIRST-AID MEASURES

Inhalation:	May cause coughing, difficult breathing and nausea. Call emergency medical service. Effects of exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Skin contact:	Call a poison center or doctor if you feel unwell. Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye contact:	If this chemical contacts the eyes, immediately wash (irrigate) the eyes with large amounts of water, occasionally lifting the lower and upper eyelids. If eye irritation persists get medical advice/attention. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	Harmful if swallowed. Effects of exposure (ingestion) to substance may be delayed. If swallowed, seek medical advice immediately and show the container or label. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	No data available May cause heritable genetic damage in humans. May cause skin sensitization. Possibly carcinogenic to humans.
Immediate medical attention:	WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is harmful. CAUTION: Victim may be a source of contamination. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media:	Dry chemical, CO ₂ , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations.
Specific hazards arising from the che	
Hazardous combustion products:	These products include: Halogenated compounds Metallic oxides

Other specific hazards:

These products include: Halogenated compounds Metallic oxides WARNING: Highly toxic HCl gas is produced during combustion.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Splash goggles. Wear protective clothing (chemical resistant suit and chemical resistant boots). Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Prevent dust cloud. Do not clean-up or dispose except under supervision of a specialist. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. Ventilate the area.

Environmental precautions:

Keep away from living quarters. Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

. HANDLING AND STORAGE		
Precautions for safe handling:	Avoid inhalation of vapor or mist. Manipulate under an adequate fume hood. Do not ingest. Avoid contact with skin and eyes. Avoid contact - obtain special instructions before use. Avoid prolonged or repeated exposure. Normal measures for preventive fire protection. Avoid exposure - obtain special instructions before use. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.	
Conditions for safe storage:	Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods.	
Storage incompatibilities:	Store away from oxidizing agents	

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:	
ACGIH TLV (TWA):	0.02 mg/m ³

Appropriate engineering controls:

Handle only in a fully enclosed system and equipment. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment Respiratory protection: Hand protection: Eye protection: Skin and body protection: Wear protective gloves. Skin and body protection:

9. PHYSICAL AND CHEMICAL PROPERTIES

Solid
Crystal - Powder
Red - Deep red
No data available
No data available

9. PHYSICAL AND CHEMICAL PROPERTIES

Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic Viscosity:	87°C (189°F) No data available No data available No data available No data available	pH: Vapor pressure: Vapor density: Dynamic Viscosity:	No data available No data available No data available No data available
Partition coefficient: n-octanol/water (log Pow)	No data available	Evaporation rate: (Butyl Acetate = 1)	No data available
Flash point: Flammability (solid, gas):	No data available No data available	Autoignition temperature: Flammability or explosive limits Lower: No data ava Upper: No data ava	ailable
Solubility(ies): 10. STABILITY AND REACTI	νιτγ		

11. TOXICOLOGICAL INFORMATION

RTECS Number: GG0200000

Acute Toxicity: orl-rat LD50:766 mg/kg

ipr-rat LD50:35 mg/kg

Skin corrosion/irritation: No data available

Serious eye damage/irritation: No data available

Respiratory or skin sensitization: No data available

Germ cell mutagenicity: msc-mus-mmr 2 umol/L

Carcinogenicity:

No data available

IARC: Group 2B (Possibly carcinogenic to humans) .

Reproductive toxicity:

orl-mus TDLo:182 mg/kg(13W male)

ipr-mus TDLo:143 mg/kg(3D male)

OSHA:

No data available

slt-ham-oth 50 umol/L/24H

skn-rat LD50:>2 g/kg

Routes of Exposure:

Inhalation, Eye contact, Ingestion, Skin contact.

Symptoms related to exposure:

Overexposure may result in serious illness or death. Inhalation causes irritation of the lungs and respiratory system. Skin contact may result in sensitization. Readily absorbed through skin.

No data available

Potential Health Effects:

No specific information available; skin and eye contact may result in irritation. May be harmful if inhaled or ingested.

NTP:

Target organ(s):

May cause damage to organs: Respiratory System Bone Marrow Heart through prolonged or repeated exposure.

TCI AMERICA

Page 5 of 6

12. ECOLOGICAI	L INFORMATION				
Ecotoxicity					
Fish:		No data available			
Crustacea:		No data available			
Algae:		No data available			
Persistence and de		No data available			
Bioaccumulative potential (BCF):		No data available			
Mobillity in soil: Partition coefficient:		No data available No data available			
n-octanol/water (loo		NU Uala avaliable			
Soil adsorption (Ko	,	No data available			
Henry's Law:		No data available			
constant (PaM ³ /mol)				
Disposal of product	ONSIDERATIONS	Recycle to process if r	oossible. It is the generator's r	esponsibility to comply with Federal, State and Local	
		rules and regulations. chemical incinerator e assistance but does n regulatory compliance Waste are listed in 40 water ways, or the soi	You may be able to dissolve of quipped with an afterburner are ot replace these laws, nor doe according to the law. US EPA CFR Parts 261. The product s I.	or mix material with a combustible solvent and burn in a and scrubber system. This section is intended to provide as compliance in accordance with this section ensure a guidelines for Identification and Listing of Hazardous should not be allowed to enter the environment, drains,	
Disposal of container: Dispose of as unit			product. Do not re-use empty ate and local regulations wher		
DOT (US) UN number: UN3077	Proper Shipping N Environmentally haz n.o.s.		Class or Division: 9 Miscellaneous hazardous material	Packing Group: III	
IATA UN number: UN3077	Proper Shipping N Environmentally haz n.o.s.		Class or Division: 9 Miscellaneous hazardous material	Packing Group: III	
IMDG					
UN number: UN3077	Proper Shipping N Environmentally haz n.o.s.		Class or Division: 9 Miscellaneous hazardous material	Packing Group: III	
EmS number:		F-A, S-F			
15. REGULATOR	Y INFORMATION				
This product is ON t		: ices Control Act (TSCA) i	inventory.		
US Federal Regulat					
CERCLA Hazardous SARA 313: SARA 302:	s substance and Rep	ortable Quantity: Not Listed Not Listed			
State Regulations					
State Right-to-Know	N				
Massachuse New Jersey Pennsylvani California Propositi	a	Not Listed Not Listed Not Listed Not Listed			
-					

NFPA Rating:	-	HMIS Classification:	
Health:	3	Health:	3
Flammability:	-	Flammability:	0
Instability:	0	Physical:	0
nternational Inve	ntories		
WHMIS hazard cl	ass:	D2A: Materials causing other toxic effects. (V D2B: Materials causing other toxic effects. (T	
EC-No:		231-589-4	

Revision date: 08/18/2015

Revision number: 4

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.