

Revision number: 3 Revision date: 10/06/2014

# 1. IDENTIFICATION

Product name: Product code: Ethyl 3-(Dimethylamino)acrylate D2836

For laboratory research purposes.

Not for drug or household use.

**TCI AMERICA** 

SAFETY DATA SHEET

Product use: Restrictions on use:

## Company:

TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

## 2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:

Sensitization - Skin [Category 1] Aquatic Hazard (Acute) [Category 3]

Signal word:

Warning!

Hazard Statement(s):

May cause an allergic skin reaction Harmful to aquatic life

#### Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention]

[Response]

[Storage] [Disposal] Avoid breathing dusts or mists. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse. None Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components: Percent: CAS Number: Molecular Weight: Chemical Formula: Synonyms: Substance Ethyl 3-(Dimethylamino)acrylate >98.0%(GC)(T) 924-99-2 143.19 C<sub>7</sub>H<sub>13</sub>NO<sub>2</sub> 3-(Dimethylamino)acrylic Acid Ethyl Ester

Emergency telephone number:

Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) **Responsible department:** TCI America Environmental Health Safety and Security +1- 503-286-7624

| 4. FIRST-AID MEASURES   |  |  |  |
|---|--|--|--|
| Inhalation:   | May cause coughing, difficult breathing and nausea. Call emergency medical service. Effects of expose<br>(inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in<br>contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is<br>not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat<br>symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved<br>take precautions to protect themselves. |  |  |
| Skin contact:   | Call a poison center or doctor if you feel unwell. Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.  |  |  |
| Eye contact:  | In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists get medical advice/attention. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.   |  |  |
| Ingestion:  | Effects of exposure (ingestion) to substance may be delayed. If swallowed, seek medical advice immediately and show the container or label. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.   |  |  |
| Symptoms/effects:   |  |  |  |
| Acute:<br>Delayed:  | No data available<br>May cause skin sensitization.   |  |  |
| Immediate medical attention:  | CAUTION: Victim may be a source of contamination. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.   |  |  |
| 5. FIRE-FIGHTING MEASURES   |  |  |  |
| Suitable extinguishing media:   | Dry chemical, $CO_2$ , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations.   |  |  |
| Specific hazards arising from the chen<br>Hazardous combustion products:<br>Other specific hazards: | ical<br>These products include: Carbon oxides Nitrogen oxides<br>Closed containers may explode from heat of a fire.  |  |  |
| Special precautions for fire-fighters   |  |  |  |

Special precautions for fire-fighters: Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

# Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

# 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions:          | Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch<br>damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn<br>unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation.<br>Isolate the hazard area and deny entry to unnecessary and unprotected personnel. |
|--------------------------------|---|
| Personal protective equipment: | Safety glasses. Wear protective clothing (chemical resistant suit and chemical resistant boots). Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).   |
| Emergency procedures:          | In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.  |

#### Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. Ventilate the area.

Environmental precautions:

Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

# 7. HANDLING AND STORAGE Precautions for safe handling: Do NOT breath gas, fumes, vapor, or spray. Avoid contact with skin and eyes. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition. Conditions for safe storage: Keep only in the original container in a cool well-ventilated place. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon). Storage incompatibilities: Combustible substances, Store away from oxidizing agents

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| Exposure limits: |  |
|------------------|--|
|------------------|--|

No data available

#### Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

#### Personal protective equipment

Respiratory protection:Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.Hand protection:Wear protective gloves.Eye protection:Splash goggles.Skin and body protection:Lab coat.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical state (20°C):<br>Form:<br>Color:<br>Odor:<br>Odor threshold:  | Liquid<br>Clear<br>Very pale yellow - Yellow<br>No data available<br>No data available |  |                |  |
|--|--|--|----------------|--|
| Melting point/freezing point:<br>Boiling point/range:<br>Decomposition temperature:<br>Relative density:<br>Kinematic Viscosity: | 19°C (66°F)<br>136°C (277°F)/3.7kPa<br>No data available<br>1.00<br>No data available  | pH:<br>Vapor pressure:<br>Vapor density:<br>Dynamic Viscosity: |                | No data available<br>3.7x10 <sup>-2</sup> Pa /20°C<br>No data available<br>No data available |
| Partition coefficient:<br>n-octanol/water (log Pow)  | 1.31   | Evaporation rate:<br>(Butyl Acetate = 1)                       |                | No data available  |
| Flash point:<br>Flammability (solid, gas):   | 108°C (226°F)<br>No data available   | Autoignition tempera<br>Flammability or explo<br>Lower:        |                | 275°C (527°F)<br>able  |
| Solubility/ies).   |  | Upper:   | No data availa | able   |

Solubility(ies): Water: Soluble (76g/L, 20°C)

# **10. STABILITY AND REACTIVITY**

Reactivity: Chemical Stability: Possibility of Hazardous Reactions: Conditions to avoid: Incompatible materials: Hazardous Decomposition Products: Not Available. Stable under recommended storage conditions. (See Section 7) No hazardous reactivity has been reported. Avoid excessive heat and light. Oxidizing agents No data available

# 11. TOXICOLOGICAL INFORMATION

| Ethyl 3-(Dimethylamino)acrylate   | TCI AMERICA   | Page 4 of 5 |  |
|---|---|-------------|--|
| Acute Toxicity:<br>No data available  |   |             |  |
| Skin corrosion/irritation:<br>No data available   |   |             |  |
| Serious eye damage/irritation:<br>No data available   |   |             |  |
| <b>Respiratory or skin sensitization:</b><br>No data available  |   |             |  |
| Germ cell mutagenicity:<br>No data available  |   |             |  |
| Carcinogenicity:  |   |             |  |
| No data available   |   |             |  |
| IARC: No data available   | NTP: No data available OSHA: No data available  |             |  |
| <b>Reproductive toxicity:</b><br>No data available  |   |             |  |
| Routes of Exposure:<br>Symptoms related to exposure:<br>Skin contact may result in sensitization. Re<br>Potential Health Effects:<br>No specific information available; skin and<br>Target organ(s):                          | Inhalation, Eye contact, Ingestion, Skin contact.<br>adily absorbed through skin.<br>eye contact may result in irriatation. May be harmful if inhaled or ingested.<br>No data available   |             |  |
| 12. ECOLOGICAL INFORMATION  |   |             |  |
|   |   |             |  |
| Ecotoxicity<br>Fish:<br>Crustacea:<br>Algae:  | No data available<br>No data available<br>No data available   |             |  |
| Persistence and degradability:<br>Bioaccumulative potential (BCF):<br>Mobillity in soil:<br>Partition coefficient:<br>n-octanol/water (log Pow)<br>Soil adsorption (Koc):<br>Henry's Law:<br>constant (PaM <sup>3</sup> /mol) | No data available<br>No data available<br>No data available<br>1.31<br>No data available<br>No data available   |             |  |
|   |   |             |  |
| 13. DISPOSAL CONSIDERATIONS<br>Disposal of product:   | Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil. |             |  |
| Disposal of container:<br>Other considerations:   | Dispose of as unused product. Do not re-use empty containers.<br>Observe all federal, state and local regulations when disposing of the substance.  |             |  |
| 14. TRANSPORT INFORMATION   |   | ]           |  |
| DOT (US)  | Non-hazardous for transportation.   |             |  |
| IATA  | Non-hazardous for transportation.   |             |  |
| IMDG  | Non-hazardous for transportation.   |             |  |
|   |   |             |  |

# 15. REGULATORY INFORMATION

### Toxic Substance Control Act (TSCA 8b.):

This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 CFR 720.36 (C) for those products not on the inventory list:

(i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in 40 CFR 720.0 et sec.

**HMIS Classification:** 

(ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be supplied on a SDS sheet.

## US Federal Regulations

#### CERCLA Hazardous substance and Reportable Quantity: SARA 313: Not Listed SARA 302: Not Listed

#### **State Regulations**

#### State Right-to-Know

| Massachusetts              | Not Listed |
|----------------------------|------------|
| New Jersey                 | Not Listed |
| Pennsylvania               | Not Listed |
| California Proposition 65: | Not Listed |

#### Other Information

#### **NFPA Rating:**

| •   |         |               |       |
|---|---------|---------------|-------|
| Health:   | 1       | Health:       | 1     |
| Flammability:   | 1       | Flammability: | 1     |
| Instability:  | 0       | Physical:     | 0     |
| International Inve  | ntories |               |       |
| WHMIS hazard class: D2B: Materials causing other toxic effects. |         |               | oxic) |

# 16. OTHER INFORMATION

#### Revision date: 10/06/2014

#### Revision number: 3

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective gogles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.