TAPEH



Version Revision Date: SDS Number: Print Date: 04/30/2018 60000000013 04/30/2018 1.1

SECTION 1. IDENTIFICATION

Product name : TAPEH

CAS-No. : 686-31-7

Manufacturer or supplier's details

Company name of supplier United Initiators, Inc.

Address 555 Garden Street

Elyria OH 44035

Telephone +1-440-323-3112

Telefax +1-440-323-2659

Emergency telephone : CHEMTREC US (24h): +1-800-424-9300

> CHEMTREC WORLD (24h): +1-703-527-3887

E-mail address of person

responsible for the SDS

: cs-initiators.nafta@united-in.com

Recommended use of the chemical and restrictions on use

Recommended use : polymerization initiators

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Flammable liquids Category 4

Organic peroxides Type D

Skin sensitization Category 1

Acute aquatic toxicity Category 1

Chronic aquatic toxicity Category 1

GHS label elements

Hazard pictograms







Signal Word Danger

Hazard Statements H227 Combustible liquid.

H242 Heating may cause a fire.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

TAPEH



 Version
 Revision Date:
 SDS Number:
 Print Date:

 1.1
 04/30/2018
 600000000013
 04/30/2018

Precautionary Statements : Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible

materials.

P234 Keep only in original container.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P272 Contaminated work clothing must not be allowed out of

the workplace.
P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use water spray, alcohol-resistant

foam, dry chemical or carbon dioxide to extinguish.

P391 Collect spillage.

Storage:

P410 Protect from sunlight.

P411 + P235 Store at temperatures not exceeding < 10 °C/ <

50 °F. Keep cool.

P420 Store away from other materials.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : tert-amyl 2-ethylperoxyhexanoate

CAS-No. : 686-31-7

Chemical nature : Organic Peroxide

liquid

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
tert-Pentyl 2-ethylperoxyhexanoate	686-31-7	>= 99 - <= 100

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

TAPEH



 Version
 Revision Date:
 SDS Number:
 Print Date:

 1.1
 04/30/2018
 600000000013
 04/30/2018

Show this material safety data sheet to the doctor in

attendance.

Do not leave the victim unattended. Call a physician immediately.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

If breathed in, move person into fresh air.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes. If symptoms persist, call a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Call a physician immediately.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating de-

composition reaction with release of flammable vapors which

may auto-ignite.

The product burns violently.

Flash back possible over considerable distance.

TAPEH



 Version
 Revision Date:
 SDS Number:
 Print Date:

 1.1
 04/30/2018
 600000000013
 04/30/2018

Vapors may form explosive mixtures with air.

The product will float on water and can be reignited on surface

water.

Cool closed containers exposed to fire with water spray.

Specific extinguishing meth-

ods

Do not use a solid water stream as it may scatter and spread

Tire

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Remove all sources of ignition.

Follow safe handling advice and personal protective

equipment recommendations.

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contact with incompatible substances can cause

decomposition at or below SADT.

Clear spills immediately.

Suppress (knock down) gases/vapors/mists with a water spray

jet.

To clean the floor and all objects contaminated by this

material, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

TAPEH



Version Revision Date: SDS Number: Print Date: 04/30/2018 60000000013 04/30/2018 1.1

SECTION 7. HANDLING AND STORAGE

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on protection against

fire and explosion

Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible

material.

Advice on safe handling Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. Avoid formation of aerosol.

Take precautionary measures against static discharges. Never return any product to the container from which it was

originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the

application area.

Wash thoroughly after handling. For personal protection see section 8.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Protect from contamination.

Conditions for safe storage Avoid impurities (e.g. rust, dust, ash), risk of decomposition.

Electrical installations / working materials must comply with

the technological safety standards.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Store in original container.

Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Keep away from strong acids, bases, heavy metal salts and Materials to avoid

other reducing substances.

Recommended storage tem- :

perature

< 10 °C

< 50 °F

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

TAPEH



 Version
 Revision Date:
 SDS Number:
 Print Date:

 1.1
 04/30/2018
 600000000013
 04/30/2018

Hazardous components without workplace control parameters

Ingredients	CAS-No.
tert-Pentyl 2-	686-31-7
ethylperoxyhexanoate	

Engineering measures : Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : ABEK-filter

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.5 mm

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous

substance and specific to place of work.

For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove Wash hands before breaks and at the

end of workday.

Eye protection : Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face

protection if there is a splash hazard.

Ensure that eyewash stations and safety showers are close

to the workstation location.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Hygiene measures : Keep away from food and drink.

When using do not eat or drink.
When using do not smoke.

Wash hands before breaks and immediately after handling

the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colorless

Odor : ester-like

Odor Threshold : No data available

TAPEH



 Version
 Revision Date:
 SDS Number:
 Print Date:

 1.1
 04/30/2018
 600000000013
 04/30/2018

pH : No data available

Melting point/range : No data available

Initial boiling point and boiling

range

Decomposition: Decomposes below the boiling point.

Flash point : 67 °C

Method: ISO 3679

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : 0.0002 hPa (25 °C)

Relative vapor density : No data available

Density : 0.9 g/cm3 (20 °C)

Solubility(ies)

Water solubility : 0.018 g/l (20 °C)

insoluble

Partition coefficient: n-

octanol/water

log Pow: 4.56

Self-Accelerating decomposi-

tion temperature (SADT)

40 °C

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

Viscosity

Viscosity, dynamic : 4.3 mPa.s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Organic peroxide

Refractive index : 1.433 (20 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : Stable under recommended storage conditions.

TAPEH



Version Revision Date: SDS Number: Print Date: 04/30/2018 60000000013 04/30/2018 1.1

tions

Possibility of hazardous reac- : Vapors may form explosive mixture with air.

Conditions to avoid Protect from contamination.

Contact with incompatible substances can cause

decomposition at or below SADT.

Heat, flames and sparks. Avoid confinement.

Incompatible materials Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

Hazardous decomposition

products

Irritant, caustic, flammable, noxious/toxic gases and vapours

can develop in the case of fire and decomposition

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Ingredients:

tert-Pentyl 2-ethylperoxyhexanoate:

Acute oral toxicity : LD0 (Rat): 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity LC0 (Rat): > 200 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD10 (Rabbit, male and female): 2,000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks: May cause skin irritation and/or dermatitis.

Ingredients:

tert-Pentyl 2-ethylperoxyhexanoate:

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Vapors may cause irritation to the eyes, respiratory system and the skin.

TAPEH



 Version
 Revision Date:
 SDS Number:
 Print Date:

 1.1
 04/30/2018
 600000000013
 04/30/2018

Ingredients:

tert-Pentyl 2-ethylperoxyhexanoate:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Remarks: Causes sensitization.

Ingredients:

tert-Pentyl 2-ethylperoxyhexanoate:

Species: Guinea pig

Method: OECD Test Guideline 406

Result: May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

tert-Pentyl 2-ethylperoxyhexanoate:

Genotoxicity in vitro : Method: OECD Test Guideline 476

Result: negative

Method: OECD Test Guideline 471

Result: positive

Genotoxicity in vivo : Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

Not classified based on available information.

Ingredients:

tert-Pentyl 2-ethylperoxyhexanoate:

Remarks: This information is not available.

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

TAPEH



 Version
 Revision Date:
 SDS Number:
 Print Date:

 1.1
 04/30/2018
 600000000013
 04/30/2018

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

Ingredients:

tert-Pentyl 2-ethylperoxyhexanoate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion

General Toxicity Parent: NOAEL: 300 mg/kg body weight General Toxicity F1: NOAEL: 300 mg/kg body weight

Method: OECD Test Guideline 421

Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Ingredients:

tert-Pentyl 2-ethylperoxyhexanoate:

Remarks: No data available

Repeated dose toxicity

Ingredients:

tert-Pentyl 2-ethylperoxyhexanoate:

Species: Rat

NOAEL: 1,000 mg/kg Application Route: Oral Exposure time: 28 d

Method: OECD Test Guideline 407

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

TAPEH



Version **Revision Date:** SDS Number: Print Date: 04/30/2018 60000000013 04/30/2018 1.1

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

tert-Pentyl 2-ethylperoxyhexanoate:

Remarks: No data available Toxicity to fish

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.7 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.28 Toxicity to algae

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- : 1

icity)

M-Factor (Chronic aquatic

toxicity)

: 1

Toxicity to microorganisms EC50 (Bacteria): > 1,000 mg/l

Exposure time: 0.5 h

Method: OECD Test Guideline 209

Persistence and degradability

Ingredients:

tert-Pentyl 2-ethylperoxyhexanoate:

Biodegradability Result: Readily biodegradable.

Method: OECD Test Guideline 301D

Bioaccumulative potential

Ingredients:

tert-Pentyl 2-ethylperoxyhexanoate:

Bioaccumulation Bioconcentration factor (BCF): 682

Partition coefficient: n-

octanol/water

log Pow: 4.56

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential Regulation: 40 CFR Protection of Environment; Part 82 Pro-

TAPEH



 Version
 Revision Date:
 SDS Number:
 Print Date:

 1.1
 04/30/2018
 600000000013
 04/30/2018

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3115

Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE

CONTROLLED

(tert-AMYL PEROXY-2-ETHYLHEXANOATE)

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2

IATA-DGR

Not permitted for transport

IMDG-Code

UN number : UN 3115

Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE

CONTROLLED

(tert-AMYL PEROXY-2-ETHYLHEXANOATE)

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2 EmS Code : F-F, S-R Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

TAPEH



 Version
 Revision Date:
 SDS Number:
 Print Date:

 1.1
 04/30/2018
 600000000013
 04/30/2018

Domestic regulation

49 CFR

UN/ID/NA number : UN 3115

Proper shipping name : Organic peroxide type D, liquid, temperature controlled

(tert-Amyl peroxy-2-ethylhexanoate, 95%)

Class : 5.2

Packing group : Not assigned by regulation Labels : ORGANIC PEROXIDE

ERG Code : 148 Marine pollutant : yes

Additional advice:

Temperature controlled transport.:

Control temperature : 20 °C Emergency temperature : 25 °C

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

Reactivity Hazard Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

California Prop. 65 This product does not contain any chemicals known to the

TAPEH



Version **Revision Date:** SDS Number: Print Date: 04/30/2018 60000000013 04/30/2018 1.1

State of California to cause cancer, birth, or any other

reproductive defects.

The ingredients of this product are reported in the following inventories:

All components of this product are on the Canadian DSL DSL (CA)

AICS (AU) On the inventory, or in compliance with the inventory

ENCS (JP) On the inventory, or in compliance with the inventory

ISHL (JP) On the inventory, or in compliance with the inventory

KECI (KR) On the inventory, or in compliance with the inventory

On the inventory, or in compliance with the inventory PICCS (PH)

IECSC (CN) On the inventory, or in compliance with the inventory

TCSI (TW) On the inventory, or in compliance with the inventory

TSCA (US) On TSCA Inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

TAPEH



 Version
 Revision Date:
 SDS Number:
 Print Date:

 1.1
 04/30/2018
 600000000013
 04/30/2018

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/30/2018

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8